



Produced by the United States Geological Survey Topography compiled 1966. Planimetry derived from imagery taken 1996 and other sources. Survey control current as of 1967. Boundaries current as of 2000. North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 11 10 000-foot ticks: California Coordinate System of 1983 (zone 6). North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software. Selected hydrographic data compiled from NOS Charts 18773 (1968) and 18772 (1969). This information is not intended for navigational purposes. There may be private inholdings within the boundaries of the National or State reservations shown on this map. Houses of worship, schools, and other labeled buildings verified 1967.



SCALE 1:24 000 CONTOUR INTERVAL 20 FEET SUPPLEMENTARY CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC DATUM OF 1929 DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOWER LOW WATER THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE THE MEAN RANGE OF TIDE IS APPROXIMATELY 4 FEET TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION legend with symbols for primary highway, improved surface, secondary highway, hard surface, unimproved road, interstate route, U.S. route, and state route. Includes a table of adjoining 7.5' quadrangle names (1-8) and a barcode.