



Produced by the United States Geological Survey
Control by USGS and NOS/NOAA

Compiled by photogrammetric methods from aerial photographs
taken 1981. Field checked 1982. Map edited 1984


Selected hydrographic data compiled from NOS chart 12216 (1981)
This information is not intended for navigational purposes

North American Datum of 1983 (NAD 83). Projection and
1000-meter grid: Universal Transverse Mercator, zone 18
10,000-foot grid ticks based on Delaware coordinate system

The difference between NAD 83 and North American Datum of
1927 (NAD 27) for 7.5 minute intersections is given in USGS
Bulletin 1875. The NAD 27 is shown by dashed corner ticks



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD)
(TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, SUBTRACT 1 FOOT)
SOUNDINGS IN FEET - DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.5 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Revisions compiled in cooperation with
State of Delaware agencies from aerial
photographs taken 1989 and other sources
Contours not revised. This information not
field checked. Map edited 1991

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

FAIRMOUNT, DEL.
38075-F2-TF-024
1984
REVISED 1991
DMA 5961 II NW-SERIES V832