

Produced by the United States Geological Survey and the National Ocean Service  
Control by USGS and NOS/NOAA  
Orthophotomaps prepared by the Geological Survey from aerial photographs taken January 10, 1976. Topography by photogrammetric methods from aerial photographs taken January 1975 and planimetric surveys 1978. Field checked 1978. Map edited 1981. Supersedes topographic map dated 1943.  
Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys. Soundings compiled from NOS chart 11404. This information is not intended for navigational purposes.  
Mean low water (dotted line) and mean high water (solid line) compiled by NOS from tide-coordinated aerial photographs. Apparent shoreline (outer edge of vegetation) shown by photomaps.  
Projection and 10,000-foot grid ticks: Florida coordinate system, north zone (Lambert conformal conic).  
1:000-meter Universal Transverse Mercator grid, zone 16 1927 North American Datum.  
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks.  
Dotted land lines established by private subdivision of the Forbes Purchase.  
There may be private inholdings within the boundaries of the National or State reservations shown on this map.  
Photinspected from 1991 source; no major culture or drainage changes observed. Boundaries, other than corporate and names revised 1992.

SCALE 1:24 000


UTM GRID AND 1992 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

QUADRANGLE LOCATION

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-5795	1934-35	1:10,000	01-08
H-5819	1935	1:20,000	05-15
H-5887	1935	1:20,000	02-15
H-9704	1977	1:40,000	10-15

CONTOUR INTERVAL 2 METERS  
SUPPLEMENTARY CONTOUR INTERVAL 1 METER  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS—SOUNDINGS IN METERS  
GULF COAST LOW WATER DATUM  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.8 METERS

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
AND NATIONAL OCEAN SERVICE, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface — Light-duty road, hard or improved surface  
Secondary highway, hard surface — Unimproved road  
Trails —  
Interstate Route — U. S. Route — State Route

CONTOURS AND ELEVATIONS IN METERS

CARRABELLE, FLA.  
29084-G6-OM-024  
1981  
MINOR REVISION 1992  
DMA 4043 I SW-SERIES V8470

