


SCALE 1:24 000



CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION


ROAD CLASSIFICATION table with symbols for Interstate Route, U.S. Route, State Route, Primary highway, Secondary highway, Light-duty road, and Unimproved road.

Table of adjoining 7.5-minute quadrangle names (1-8) with corresponding map sheet numbers.

HALFMOON LAKE, FL 1999

NIMA 4642 III NE-SERIES V847

Produced by the United States Geological Survey Topography compiled 1969. Planimetry derived from imagery taken 1990 and other sources. Photosinspected using imagery dated 1999; no major culture or drainage changes observed. PLSS and survey control current as of 1970. Boundaries verified 2000 North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: Florida coordinate system, west zone (transverse Mercator) 1000-meter Universal Transverse Mercator grid, zone 17 North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software. There may be private inholdings within the boundaries of the National or State reservations shown on this map. Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours.



UTM GRID AND 2001 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



ISBN 0-607-94601-6 9 780607 946017