



Mapped by the U. S. Corps of Engineers
Edited and published by the U. S. Geological Survey
Control by USGS and NOS/NOAA

Planimetry by photogrammetric methods from aerial photographs
taken 1950. Topography by planimetric surveys 1950-51
Field checked 1952-53

Projection and 10,000-foot grid ticks: Florida coordinate
system, east zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
1927 North American Datum (NAD 27)

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks
The values of the shift between NAD 27 and NAD 83 for 7.5-minute
intersections are given in USGS Bulletin 1875

Dashed land lines indicate approximate locations
Photinspected from 1990 source; no major culture or drainage
changes observed. Boundaries and names verified 1993



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3	1 Holopaw SW
2	3	4	2 Holopaw SE
3	4	5	3 Deer Park
4	5	6	4 Lake Marian NW
5	6	7	5 Kenansville
6	7	8	6 Lake Marian SW
			7 Lake Marian SE
			8 Kenansville SW

ADJOINING 7.5' QUADRANGLE NAMES

ROAD CLASSIFICATION

Heavy-duty	4 LANE 16 LANE	Light-duty
Medium-duty	4 LANE 16 LANE	Unimproved dirt

U.S. Route State Route

LAKE MARIAN NE, FLA.
27081-H1-TF-024
1953
PHOTOREVISED 1972
MINOR REVISION 1993