



Produced by the United States Geological Survey in cooperation with State of Georgia agencies
 Planimetry by photogrammetric methods from imagery dated 1974
 Topography by planimetric surveys 1953. Revised from imagery dated 1993 and other sources. Field checked 1993. Map edited 1995
 Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys. This information is not intended for navigational purposes.
 Mean lower low water (dotted) line and mean high water (heavy solid) line compiled by NOS from tide-coordinated imagery. Apparent shoreline (outer edge of vegetation) shown by light solid line.
 North American Datum of 1927 (NAD 27). Projection and blue 1000-meter ticks. Universal Transverse Mercator, zone 17 10 000-foot ticks: Georgia coordinate system, east zone
 North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
 There may be private inholdings within the boundaries of the National or State reservations shown on this map.

HYDROGRAPHIC SURVEY INDEX

H-5632	H-4471
H-9473	H-4471
H-9631	H-4471
H-5581	H-6531
H-5587	H-4471

SCALE 1:24000

0 500 1000 1500 2000 METERS
 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 FEET

ROAD CLASSIFICATION

Primary highway Light-duty road, hard or improved surface
 Secondary highway Unimproved road

Interstate Route U.S. Route State Route

QUADRANGLE LOCATION

GEORGIA

CONTOUR INTERVAL 5 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS-DATUM IS MEAN LOWER LOW WATER
 THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

HYDROGRAPHIC SURVEY INFORMATION

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Nautical Miles)
H-4471	1926	1:20,000	01-30
H-5581	1934	1:10,000	02-03
H-5587	1934	1:10,000	01-08
H-6531	1934	1:10,000	02-07
H-9631	1934	1:10,000	01-08
H-9473	1974	1:20,000	06-11

BASE MAP COMPLES WITH NATIONAL MAP ACCURACY STANDARDS
 BATHYMETRIC SURVEY DATA COMPLES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
 FOR SALE BY U. S. GEOLOGICAL SURVEY
 DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 AND NATIONAL OCEAN SERVICE, ROCKVILLE, MARYLAND 20852
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ADJOINING 7.5' QUADRANGLE NAMES

1	2	3	1 Ridgville
4	5	6	2 Daboy Sound
7	8	9	3 Cabretta Inlet
			4 Darien
			5 Brunswick East
			6 Brunswick East
			7 Sea Island
			8

ALTAMAHA SOUND, GA
 31081-C3-TB-024
 1993
 DMA 4746 IV SE-SERIES V845

Exposed at low tide
 METERS 0 16.4 32.8
 FEET 0 50 100
 Maximum depth

UTM GRID AND 1996 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET