



Produced by the United States Geological Survey in cooperation with Louisiana Department of Transportation and Development. Topography compiled 1950. Planimetry derived from imagery taken 1998 and other sources. Public Land Survey System and survey control current as of 1979. Selected hydrographic data compiled from NOS Chart 11373 (1981). This information is not intended for navigational purposes. North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 16 10 000-foot ticks: Louisiana Coordinate System of 1983 (south zone) 2500-meter ticks: Mississippi Coordinate System of 1983 (east zone) North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software. There may be private inholdings within the boundaries of the National or State reservations shown on this map. This quadrangle covers a subsidence area. Landmark buildings verified 1979.



SCALE 1:24 000. CONTOUR INTERVAL 5 FEET. NATIONAL GEODETIC VERTICAL DATUM OF 1929. TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048. DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOWER LOW WATER. THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE. THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT. THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS. FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 AND LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT, BATON ROUGE, LOUISIANA 70804. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST.



ROAD CLASSIFICATION. Primary highway: hard surface (dotted), secondary highway (dashed), light-duty road, hard or improved surface (solid), unimproved road (dotted). Interstate Route (red shield), U.S. Route (white shield), State Route (black shield). CHANDELEUR LIGHT, LA-MS 1998. NIMA 8244 III SE-SERIES V885.

