





CONVERSION SCALES

Feet	Meters
15000	4500
14000	4200
13000	3900
12000	3600
11000	3300
10000	3000
9000	2700
8000	2400
7000	2100
6000	1800
5000	1500
4000	1200
3000	900
2000	600
1000	300
0	0

Produced by the United States Geological Survey
 Control by USGS and NOS/NOAA
 Orthophotomap prepared from aerial photograph taken April 29, 1978. Topography by photogrammetric methods from aerial photographs taken 1974. Field checked 1975. Map edited 1982.
 Supersedes Army Map Service topographic map dated 1942.
 Projection and 10,000-foot grid ticks: Maryland coordinate system (Lambert conformal conic).
 1000-meter Universal Transverse Mercator grid, zone 18 1927 North American Datum.
 To place on the predicted North American Datum 1983 move the projection lines 8 meters south and 31 meters west as shown by dashed corner ticks.
 There may be private inholdings within the boundaries of the National or State reservations shown on this map.



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY
 DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Light-duty road, hard or improved surface
- Unimproved road
- Trails
- Interstate Route
- U. S. Route
- State Route

QUADRANGLE LOCATION

CONTOURS AND ELEVATIONS IN METERS

WANGO, MD.
 38075-C4-0M-024
 1982
 PHOTOINSPECTED 1988
 DMA 5960 IV SW - SERIES V8330