


Produced by the United States Geological Survey
Derived from imagery taken 1975 and other sources. Photospectroscopied using imagery taken 1997; no major culture or drainage changes observed. Survey control current as of 1976. Boundaries verified 2000

North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: North Carolina coordinate system (Lambert conformal conic)

1000-meter Universal Transverse Mercator grid, zone 18
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software


Short dashed blue lines indicate elliptical bay outlines visible on aerial photographs



UTM GRID AND 2000 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

10° 17' 55" N 0° 55' 16" W


20% TOTAL RECOVERED FIBER



SCALE 1:24 000

CONTOUR INTERVAL 2 METERS
SUPPLEMENTARY CONTOUR INTERVAL 1 METER
DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM METERS TO FEET, MULTIPLY BY 3.2808
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.3 METER

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Primary highway hard surface
Secondary highway hard surface
Light-duty road, hard or improved surface
Unimproved road
Interstate Route
U.S. Route
State Route

Table with 3 columns and 8 rows showing adjacent quadrangle names and their corresponding map sheet numbers.

HOBBSVILLE, NC 1997

NIMA 5656 1 SE-SERIES V842

