



Produced by the United States Geological Survey in cooperation with North Carolina Department of Natural Resources and Community Development Control by USGS, NOS/NOAA, and South Carolina Geodetic Survey
 Topography by photogrammetric methods from aerial photographs taken 1987-88. Field checked 1988. Map edited 1990
 Supersedes Army Map Service map dated 1943
 Projection: North Carolina coordinate system (Lambert conformal conic)
 10,000-foot grid ticks: North Carolina coordinate system, and South Carolina coordinate system, north zone
 1000-meter Universal Transverse Mercator grid, zone 17
 1927 North American Datum
 To place on the predicted North American Datum 1983, move the projection lines 15 meters south and 23 meters west as shown by dashed corner ticks
 Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

SCALE 1:24 000
 1 5 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100
 METERS
 1 2 3 4 5 6 7 8 9 10
 KILOMETERS
 1 2 3 4 5 6 7 8 9 10
 MILES
 1 2 3 4 5 6 7 8 9 10
 FEET
 CONTOUR INTERVAL 5 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY
 DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
 Primary highway, hard surface Light-duty road, hard or improved surface
 Secondary highway, hard surface Unimproved road
 Interstate Route U. S. Route State Route

UTM GRID AND 1990 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
 QUADRANGLE LOCATION
 PIREWAY, N.C.-S.C.
 34078-A6-IT-024
 1990
 DMA 5252 II SW-SERIES V842