



CONVERSION SCALES

Feet	Meters
15000	4500
14000	4267
13000	4000
12000	3658
11000	3353
10000	3048
9000	2743
8000	2438
7000	2133
6000	1828
5000	1523
4000	1218
3000	913
2000	608
1000	303
500	151
200	61
100	30
0	0


To convert feet to meters multiply by 0.3048
To convert meters to feet multiply by 3.2808

Produced by the United States Geological Survey
Control by USGS and NOS/NOAA
Compiled by photogrammetric methods from aerial photographs taken 1974. Field checked 1976. Map edited 1982
Projection and 10,000-foot grid ticks: South Carolina coordinate system, south zone (Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 17 1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 15 meters south and 16 meters west as shown by dashed corner ticks
Short dashed blue lines indicate elliptical bay outlines visible on aerial photographs
There may be private inholdings within the boundaries of the National or State reservations shown on this map



CONTOUR INTERVAL 1.5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

EHRHARDT, S. C.
SEA OLAR 15' QUADRANGLE
N3300 - W8100/7.5
1982

DMA 4750 II SE - SERIES V846