



Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Compiled from imagery taken 1958. Photosinspected using  
imagery dated 1991; no major culture or drainage changes  
observed. PLSS and survey control current as of 1983  
Boundaries and names verified 1994  
North American Datum of 1927 (NAD 27). Projection: Transverse Mercator  
Wyoming Coordinate System, east zone (Transverse Mercator)  
10000-foot ticks: Wyoming Coordinate System, east zone,  
Nebraska Coordinate System, south zone and Colorado  
Coordinate System, north zone  
Blue 1000-meter Universal Transverse Mercator ticks, zone 13  
North American Datum of 1983 (NAD 83) is shown by dashed  
corner ticks. The values of the shift between NAD 27 and NAD 83  
for 7.5-minute intersections are obtainable from National Geodetic  
Survey NADCON software  
Fine red dashed lines indicate selected fence lines



ROAD CLASSIFICATION

Primary highway, hard surface	Light duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

PINE BLUFFS SE, WY-NE-CO  
41104-A1-TF-024

1991

DMA 5166 II SE-SERIES V874