


SERIES 1501 AIR SHEET NA 32-3 EDITION 2



RELIABILITY OF THIS GRAPHIC


Area	Area A	Area B	Area C
Accuracy as stated	±0.5%	±0.5%	±0.5%
Horizontal accuracy	±0.5%	±0.5%	±0.5%
Vertical accuracy	±0.5%	±0.5%	±0.5%
Horizontal Datum	WGS 84	WGS 84	WGS 84
Vertical Datum	MSL	MSL	MSL
Projection	UTM	UTM	UTM
Scale	1:250,000	1:250,000	1:250,000
Source	1:50,000	1:50,000	1:50,000

Horizontal Datum: Independent
Vertical Datum: Mean Sea Level
Projection: Transverse Mercator



GLOSSARY

- Baie.....bay
- Cap.....cape
- Collines.....hills
- Crique.....creek
- Estuaire.....estuary
- Ile.....island
- Lac.....lake
- Lagune.....lagoon
- Léproserie.....leper colony
- Pêcheries.....fisheries
- Plantation.....plantation
- Pointe.....point
- Reserve Forestière.....forest reserve
- Rivière.....river



CAUTION: AIR INFORMATION CURRENT THROUGH 4 FEBRUARY 1976. Consult NOTAMS and flight information publications for the latest air information. Use the DOD Aeronautical Chart Updating Manual or AOD (U.K.) Aeronautical Chart Amendment Document for other chart revision information.

LINE OF EQUAL VARIATION FOR 1975 (Annual rate of change 5' decrease)

CONVERSION OF ELEVATIONS

FEET	METERS	FEET	METERS
1000	305	1000	305
900	274	800	244
800	244	700	213
700	213	600	182
600	182	500	152
500	152	400	121
400	121	300	91
300	91	200	61
200	61	100	31
100	31	1000	305

SCALE 1:250,000
EDÉA, CAMEROON

SERIES 1501 AIR SHEET NA 32-3 EDITION 2



Prepared and Published by the Defense Mapping Agency Topographic Center, Washington, D.C. 20315. Compiled in 1966. Revised by DMAAC November 1975.

DISTRIBUTION LIMITED—DESTROY WHEN NO LONGER NEEDED

LEGEND

ROADS

- All weather
- Hard surface, two or more lanes wide
- Loose or light surface, two or more lanes wide
- Hard surface, one lane wide
- Loose or light surface, one lane wide
- Fair or dry weather, loose surface
- Cart track; Footpath; trail

RAILROADS

- Normal gauge 1 m (3'3 3/4")
- Narrow gauge

BOUNDARIES

- International
- Interterritorial
- Primary administrative
- Reservation

Woods; brushwood

- Scattered trees, low growth
- Orchard, plantation, vineyard

GRID ZONE DESIGNATION: 32N

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT: NOKIA

Grid Zone	Easting	Northing
NV	10	4
PV	10	4
NU	10	4
PU	10	4

IGNORE THE SMALLER Figures of any grid number; these are for finding the full coordinates. Use ONLY the LARGER Figures of the grid number; example: 340000

SAMPLE REFERENCE: PUS450

If omitted, assume 32° in any direction, prefix Grid Zone Designation, ex.

Scale 1:250,000

0 5 10 15 Statute Miles

0 5 10 15 Kilometers

0 5 10 15 Nautical Miles

CONTOUR INTERVAL APPROXIMATELY 135 FEET
RELIEF PARTIALLY SHOWN BY FORM LINES

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 32, CLARKE 1880 SPHEROID.

USERS SHOULD REFER CORRECTIONS, ADDITIONS AND COMMENTS FOR IMPROVING THIS PRODUCT TO:
US Users: Director, Defense Mapping Agency Aerospace Center, St. Louis AFS, Missouri 63118. ATTN: PP
(UK Users: Directorate of Military Survey, Ministry of Defence, London)

AERODROMES (Military or Civil)

- Field limits with runway pattern
- EDNA-Name
- 50-length of longest runway to nearest hundreds of feet
- Soft or unimproved
- Unknown surface
- 725-Elevation
- Field limits, with runway pattern unknown
- Field limits and runway pattern unknown

HEIPORT

RADIO AIDS TO NAVIGATION

- VHF OMNI RANGE (VOR)
- VORTAC
- TACAN
- VOR with DME
- Other Facilities

CONTROLLED AIRSPACE

ADIZ

ATLANTIC ADIZ

VISUAL AIDS AND OBSTRUCTIONS

- Obstruction
- 1108-Elevation of obstruction top, above sea level (299)
- 1108-Elevation of obstruction top, above ground level
- Group obstruction
- Radio facility obstruction
- Power transmission line
- Visual ground sign
- Aero light; Marine light

TERRAIN ELEVATIONS

HIGHEST elevation is UNKNOWN

Following elevation value indicates accuracy is not within 67 feet.

ATTENTION

THIS CHART CONTAINS MAXIMUM ELEVATION FIGURES (MEF)

The Maximum Elevation Figures shown in quadrangles bounded by ticked lines of latitude and longitude are represented in THOUSANDS and HUNDREDS of feet above mean sea level. The MEF is based on information available concerning the highest known feature in each quadrangle, including terrain and obstructions (trees, antennas, etc.). In areas of extensive unreliable relief, the MEF is shown by a note spread across the area.

Example: 12,500 feet.....12⁵

NOTES

Graphic not field checked.

Only observations 200 feet or more above ground level are shown. The information on obstructions is not necessarily complete.

SERIES 1501 AIR SHEET NA 32-3 EDITION 2

STOCK NO. 1501A NA3203