

SERIES 1501
SHEET SC 34-10
EDITION ESPECIAL

RELIABILITY OF THIS GRAPHIC
(As determined by standard practices)

PLOTTING ACCURACY 90% ASSURANCE

Horizontal: within 1:25m
Contours: within 7.5m
Roads: within 974
All other features: 1:969

GLOSSARY


Escola school
Lagoa lake
Provincia province

LOCATION DIAGRAM
(IWC INDEX SHOWN IN BLUE)
(WAC INDEX SHOWN IN RED/BROWN)

SC 34-5	SC 34-6	SC 34-7
SC 34-8	SC 34-9	SC 34-10
SC 34-11	SC 34-12	SC 34-13
SC 34-14	SC 34-15	SC 34-16

CONVERSION OF ELEVATIONS

METERS	FEET	METERS	FEET
1000	3281	10000	32808
800	2625	8000	26252
600	1969	6000	19686
400	1312	4000	13120
200	656	2000	6562
100	328	1000	3281



1980 MAGNETIC DECLINATION FROM TRUE
NORTH VARIES FROM 8° (140 MILES)
WESTERLY FOR THE CENTER OF THE WEST
EDGE TO 7 1/2° (130 MILES) WESTERLY FOR
THE CENTER OF THE EAST EDGE.

REVISIONS IN MAGENTA

LEGEND

Primary roads
Secondary roads

CAUTION: ALL POSITIONS AND ALIGNMENTS
IN MAGENTA ARE APPROXIMATE.

SCALE 1:250,000

PÊSO, ANGOLA

SERIES 1501
SHEET SC 34-10
EDITION 1

SPECIAL EDITION

SAMPLE 1000 METER GRID SQUARE

SAMPLE 1,000 METER REFERENCE

1. Road lanes identifying the 100,000 meter square in which the point lies. AB

2. Road lane number labeling the VERTICAL grid line left of point. 1

3. Road lane number labeling the HORIZONTAL grid line below point. 3

4. Estimate tenths (1,000 meters) from grid line to point. 2

Example: AB1234

GRID ZONE DESIGNATION
34L

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION.
Example: 34LAB1234

ROADS

All weather, hard surface
More than two lanes wide
Two lanes wide
All weather, loose or light surface
More than two lanes wide
Two lanes wide
All weather, loose or light surface,
one lane wide
Fair or dry weather, loose surface
Cart track
Footpath, trail

BOUNDARIES

International
First-order administrative

HORIZONTAL CONTROL POINTS

Astronomic position
Horizontal control point
Spot elevation: Normal, Critical

VEGETATION

Woods: Scattered trees
Swamp
Orchards, plantations, vineyards

3 LANES
3 LANES
338 1108

JOINT OPERATIONS GRAPHIC

SCALE 1:250,000



CONTOUR INTERVAL 50 METERS

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 34, CLARK 1980 SPHEROID.

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS FOR IMPROVING THIS PRODUCT TO:
(US Users) Director, NIMA, ATTN: CDD, 4900 Sangamon Road, Bethesda, MD 20815-5000
(UK Users) Directorate General of Military Survey, Ministry of Defense, Whitehall, London, SW1A 2JH, England, UK

LIMITED DISTRIBUTION

Distribution authorized to DoD, IAW 10 U.S.C. §§530 & 455; Release authorized to U.S. DoD contractors, IAW 48 C.F.R. §252.245-7000. Refer other reports to Headquarters, NIMA, ATTN: Release Officer, Stop P-25, Dayton, OH 45460-0001. For Official Use Only. Removal of this caveat is prohibited.

TERRAIN ELEVATIONS

Highest known elevation is 1405 meters at the following coordinates:
Geographic: 10°57' S, 19°30' E
Grid: CC 3687

NOTES

Only obstructions 61 meters or more above ground level are shown. The information on obstructions is not necessarily complete.

On this graphic a lane is generally considered as being 2.5 meters (8 feet) in width.

Figures along roads indicate approximate distances in kilometers.

THE REPRESENTATION OF INTERNATIONAL BOUNDARIES ON THIS GRAPHIC IS NOT NECESSARILY AUTHORITATIVE.

NSN 7643014048776
NIMA REF. NO. 1501XSC3410

ED. NO. 001