

SERIES 1501
SHEET SC 53-4
EDITION 1


GLOSSARY
Propinsi first-order administrative division
Pulu island
Tanjung cape, point

RELIABILITY OF THIS GRAPHIC
(as determined by standard practices)

PLOTTING ACCURACY 90% ASSURANCE	AREA	
	I	II
Horizontal	within 25m	
Contours		
GRAPHIC FEATURE	DATE OF INFORMATION	
	AREA I	AREA II
Road classification	1950-60	
Vegetation	1956-60	
Coastal hydrography	1955-75	
All other features	1956-60	


* No Contours - Maximum elevation less than 25 meters

Horizontal Datum: Local Astro
Vertical Datum: Mean Sea Level
Transverse Mercator Projection



CONVERSION OF ELEVATIONS

METERS	FEET	METERS	FEET
1000	3281	10000	32808
900	2953	9000	29528
800	2625	8000	26247
700	2297	7000	22966
600	1969	6000	19685
500	1640	5000	16404
400	1312	4000	13123
300	984	3000	9842
200	656	2000	6562
100	328	1000	3281



1975 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 4° 17' (MIS) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 4° 12' (80 MIS) EASTERLY FOR THE CENTER OF THE EAST EDGE.

Prepared and published by the Defense Mapping Agency
Topographic Center, Washington, D. C. Compiled 1976.
THIS GRAPHIC SUPERSEDES 1504, SC 53-4

SCALE 1:250,000
TANJUNG VALS,
INDONESIA

LIMITED DISTRIBUTION Distribution authorized to DOD, LAW TO U.S.C. 50105 & 455. Release authorized to U.S. DOD contractors, IAW 48 CFR 101.116-2/101.116-3/101.116-4. Refer other requests to Headquarters, NIMA, ATTN: Release Officer, Stop P-25, Orlin, VA 22134.
* Removal of this cover is prohibited.

SERIES 1501
SHEET SC 53-4
EDITION 1



POPULATED PLACES

Developed area
Kampung or settlement

1st Importance: PALEMBANG
2nd Importance: JAMBI
3rd Importance: SEKAYU
4th Importance: Sungsang

ROADS

All weather
Hard surface, two or more lanes wide
Loose or light surface, two or more lanes wide
Hard surface, one lane wide
Loose or light surface, one lane wide
Fair or dry weather; loose surface
Cart track; Footpath; trail

RAILROADS

Normal gauge 1.067m (3'6")
Narrow gauge

BOUNDARIES

International
First-order administrative


VEGETATION

Nipa
Wood-brushwood; Tropical grass
Mangrove; Plantation

HYDROGRAPHY

Swamp or marsh
Unsurveyed stream
Rocks: Awash; Sunken
Limits of danger; Reef
Foreshore flat
Depth curves in meters

JOINT OPERATIONS GRAPHIC



MAXIMUM ELEVATION LESS THAN 25 METERS

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 53, WORLD GEODETIC SYSTEM 1972 SPHEROID

USERS SHOULD REFER CONNECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK: 1 800 455-0000; COMMERCIAL: 314-200-5032; DON: 400-5032; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: CDD, MAIL STOP P-37, 4600 SANGAMORE ROAD, BETHESDA, MD 20816-5003.

TERRAIN ELEVATIONS
Spot elevation: Normal; Critical
Highest elevation is UNKNOWN

NOTES
No obstructions 61 meters or more above ground level are known to exist in this area.
The information on obstructions is not necessarily complete.
On this graphic a lane is generally considered as being 8 to 16 feet (2.44 to 4.88 meters) in width.
Figures along roads indicate approximate distances in kilometers.
THIS GRAPHIC IS NOT AN AUTHORITY ON INTERNATIONAL BOUNDARIES.
Coastal rivers subject to dangerous tidal bores.
Overland travel in swamp areas is impossible except at the height of the dry season.

NSN 7643014048824
NIMA REF. NO. 1501XSC5304