

SERIES 1501
SHEET SD 34-10
EDITION 1



RELIABILITY OF THIS GRAPHIC
(As determined by standard practices)

PLOTTING ACCURACY 90% ASSURANCE

Horizontal: within 125 m.
Contours: within 25 m.
Roads: 1:974
All other features: 1:967-68

Horizontal Datum: ARC 1950
Vertical Datum: Mean Sea Level
Transverse Mercator Projection

GLOSSARY


Provincia provincia
Rio stream

LOCATION DIAGRAM
(IOWC INDEX SHOWN IN BLUE)

SD 34-5	1151	1152	SD 34-6
SD 34-9	SD 34-10	SD 34-11	SD 34-12
SD 34-13	SD 34-14	SD 34-15	1152

CONVERSION OF ELEVATIONS

METERS	FEET	METERS	FEET
1000	3281	10000	32808
900	2953	9000	29528
800	2625	8000	26247
700	2297	7000	22966
600	1969	6000	19685
500	1641	5000	16404
400	1313	4000	13123
300	984	3000	9842
200	656	2000	6562
150	492	1500	4921
100	328	1000	3281



1980 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 10° (180 MILS) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 20° (360 MILS) WESTERLY FOR THE CENTER OF THE EAST EDGE.




Prepared and published by the Defense Mapping Agency Hydrographic/Topographic Center, Washington, D.C. Compiled November 1978.

LIMITED DISTRIBUTION (Distribution authorized to DOD, NATO, and U.S. allies and other authorized personnel only.)

SCALE 1:250,000
MUIE, ANGOLA

SERIES 1501
SHEET SD 34-10
EDITION 1



- ROADS
- All weather, hard surface: 3 LINES
 - More than two lanes wide: 3 LINES
 - Two lanes wide: 3 LINES
 - All weather, loose or light surface: 3 LINES
 - More than two lanes wide: 3 LINES
 - Two lanes wide: 3 LINES
 - All weather, loose or light surface, one lane wide: 3 LINES
 - Fair or dry weather, loose surface: 3 LINES
 - Cart track: 3 LINES
 - Footpath, trail: 3 LINES
- BOUNDARIES
- International: 338 .1108
 - First-order administrative: 338 .1108
- HORIZONTAL CONTROL POINTS
- Active station: 338 .1108
 - Horizontal control point: 338 .1108
 - Spot elevation: Normal; Critical: 338 .1108
- VEGETATION
- Woods: Scattered trees: 338 .1108
 - Swamp: 338 .1108
 - Orchards, plantations, vineyards: 338 .1108

JOINT OPERATIONS GRAPHIC

SCALE 1:250,000



CONTOUR INTERVAL 50 METERS

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 34, CLARKE 1880 SPHEROID.

USERS SHOULD MAKE CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK: 1-800-455-0095, COMMERCIAL: 214-262-9232; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: COO, MAIL STOP P-37, 4000 SANGAMORE ROAD, BETHESDA, MD 20815-5003.

- AERODROMES (Military or Civil)
- Field limits with runway pattern: EDNA-Name 221-Elevation
 - Field limits with runway pattern unknown: EDNA-Name 221-Elevation
 - Field limits unknown, with runway pattern: EDNA-Name 221-Elevation
 - Field limits and runway pattern unknown: EDNA-Name 221-Elevation
 - HELPORT: EDNA-Name 221-Elevation

- VISUAL AIDS AND OBSTRUCTIONS
- Obstruction: 338 (78) -Elevation
 - Group obstruction: 338 (78) -Elevation
 - Radio facility obstruction: 338 (78) -Elevation
 - Power transmission line: 338 (78) -Elevation
- TERRAIN ELEVATIONS
- Highest known elevation is 1403 meters at the following coordinates:
- Geographic: 13°54' S, 19°34' E
Grid: CV4554

NOTES

Only obstructions 61 meters or more above ground level are shown. The information on obstructions is not necessarily complete.

On this graphic a lane is generally considered as being 2.5 meters (8 feet) in width. Figures along roads indicate approximate distances in kilometers.

THE REPRESENTATION OF INTERNATIONAL BOUNDARIES ON THIS GRAPHIC IS NOT NECESSARILY AUTHORITATIVE.

NSN 7643014048853
NIMA REF. NO. 1501XSD3410



ED. NO. 001