



Prepared and published by the Defense Mapping Agency Hydrographic/Topographic Center, Washington, D.C.



CONTOUR INTERVAL 20 METERS SUPPLEMENTARY CONTOURS 10 METERS. INTERVALO DE CURVAS 20 METROS CURVAS SUPLEMENTARIAS A 10 METROS. Includes projection information: SPHEROID: CLARKE 1866, GRID: 1,000 METER UTM ZONE 18, PROJECTION: TRANSVERSE MERCATOR, DATUM: MEAN LOWER LOW WATER, CONTROL: ORIGEN DE GEODÉSIA DE NICARAGUA AND INTERAMERICAN GEODETIC SURVEY.



REVISED IN 1984 FROM BEST AVAILABLE SOURCE / REVISADO EN 1984 DE LAS MEJORES DISPONIBLES FUENTE

LEGEND / SIGNOS CONVENCIONALES. Table listing symbols for roads, boundaries, buildings, and other features with their corresponding map symbols.

GLOSSARY / GLOSARIO. Table listing geographical features and their Spanish names, such as 'Arena, arena', 'Boca', 'Camino', 'Cerro', etc.

1980 G.M. ANGLE 47° (70 MILAS) ANGLULO G.M. DE 1980 47° (70 MILESIKAS). TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH ADD G.M. ANGLE. TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH SUBTRACT G.M. ANGLE. PARA CONVERTIR UN ACIMUT MAGNÉTICO A UN ACIMUT DE CUADRÍCULA SUMAR EL ANGLULO G.M. PARA CONVERTIR UN ACIMUT DE CUADRÍCULA A UN ACIMUT MAGNÉTICO RESTAR EL ANGLULO G.M. THIS MAP IS RED-LIGHT READABLE. USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA OPERATIONAL HELP BOOK: 1:800-455-0889, COMMERCIAL: 314-263-4864, OR WRITE TO: DIRECTOR, NATIONAL MANGERY AND MAP-PROG. AGENCY, ATTN: IS, MAIL STOP 1-8, 4800 SARGENT ROAD, BETHESDA, MD 20816-5003. NIMA REF. NO. E751X28511