



CONVERSION GRAPH GRÁFICO DE CONVERSIÓN



Prepared by the Instituto Geográfico Nacional, Honduras in collaboration with the Defense Mapping Agency.

COORDINATE CONVERSION NAD 27 TO NAD 83
Geographic: Subtract 0.2" Long.; Add 3.2" Lat.
CONVERSION DE COORDENADAS NAD 27 A NAD 83
Cualificac: Sumar 0.2" Long.; Sumar 3.2" Lat.



ELEVATIONS IN METERS ELEVACIONES EN METROS

CONTOUR INTERVAL 20 METERS INTERVALO DE CURVAS 20 METROS

GRID AND HORIZONTAL DATUM
1:000 METER UTM ZONE 18, CLAUSE 1986 ELLIPSOID AND 1927 1,000 METER UTM ZONE 16, CLAUSE 1986 ELLIPSOID AND 1927 1,000 METER UTM ZONE 16, GEODETIC REFERENCE SYSTEM 1980 ELLIPSOID AND NORTH AMERICAN 1983 DATUM (BLUE NUMBERED TICKS) TRANSVERSAL MERCATOR PROYECCION: DATUM VERTICAL: NIVEL MEDIO DEL MAR

LEGEND CONVENIONES table listing symbols for roads, railroads, populated places, boundaries, drainage, and vegetation.

GLOSSARY GLOSARIO table listing terms like Abandoned, Acrole, Agua, Antena, Bahía, Barra, etc.


GRID ZONE IDENTIFICATION table with columns for 100,000 METER SQUARE, 100 METER GRID SQUARE, and 100 METER GRID SQUARE IDENTIFICATION.

GRID CONVERGENCE table with columns for 100 METER GRID SQUARE, 100 METER GRID SQUARE IDENTIFICATION, and 100 METER GRID SQUARE IDENTIFICATION.


NOTES NOTAS

CAUTION: NOT ALL TELEPHONE AND ELECTRIC SERVICE LINES ARE SHOWN.
THE WIDTH OF A LANE ON THIS MAP IS CONSIDERED TO BE A MINIMUM OF 2.5 METERS WIDE.
UNLA VÍA EN ESTE MAPA SE CONSIDERA UN MÍNIMO DE 2.5 METROS DE ANCHO.


BOUNDARIES LÍMITES



ADJOINING SHEETS HOJAS ADYACENTES



ELEVATION GUIDE GUÍA DE ELEVACIÓN



TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH ADD G-M ANGLE
TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH SUBTRACT G-M ANGLE

