


Prepared and published by the Defense Mapping Agency
Topographic Center, Washington, D. C.



LEGEND

ROAD DATA 1975
OTHER INFORMATION 1972
ON THIS MAP A LANE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 5.5 METERS (8 FEET) IN DEVELOPED AREAS, ONLY THROUGH ROADS ARE CLASSIFIED

ROADS	Church, School, Buildings or structures
Divided highway with median strip	Mines: Horizontal shaft, Vertical shaft
Primary all weather, hard surface, two or more lanes wide	Windmill, wind pump, Watermill
Secondary all weather, hard surface, two or more lanes wide	Open pit mine or quarry: Active, Inactive
Light duty all weather, hard or improved surface	Horizontal control corner
Fair or dry weather, unimproved surface	Bench mark: Monumented, Non-monumented
Trail	Spot elevations in meters: Checked, Unchecked
Route markers: Interstate, Federal, State	Woodland
Route markers: Interstate, Federal, State	Vineyard, Orchard
Single track	Intermittent lake and stream
Multiple track, non-operating	Marsh or swamp; Dam
Railroad station: Position known; Position unknown	Large rapids; Large falls
Car line	Rapids; Falls; Pier
BOUNDARIES	Wrecks: Exposed; Sunk
National	Rocks: Sunk; Awaik
State, territory	Soundings in feet
County, parish, municipio	Depth curves in meters
Civil township, precinct, town, barrio	Reservoir flat
Incorporated city, village, town, hamlet	Limit of danger: Reef
Reservation: National, state, Military	Man made shoals
Power transmission line	

ELEVATIONS IN METERS
CONTOUR INTERVAL 5 METERS

SPHEROID CLARKE 1866
PROJECTION TRANSVERSE MERCATOR
VERTICAL DATUM NATIONAL GEODETIC VERTICAL DATUM OF 1955
HORIZONTAL DATUM 1977 NORTH AMERICAN DATUM
CONTROL USGS, NOAA, AND CE
PREPARED BY DEFENSE MAPPING AGENCY TOPOGRAPHIC CENTER
REVISION NGA 89-06

100 METER REFERENCE


1. Read large numbers labeling the VERTICAL grid (north of point and outside 100 meter) from gridline to point. 12.3

2. Read large numbers labeling the HORIZONTAL gridline below point and estimate tenths (100 meters) from gridline to point. 45.6

Example: 123456

WHEN REPORTING ACROSS A 100,000 METER SQUARE
PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.
Example: UPI23456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.
Example: 18SUP123456



USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NSA OPERATIONAL HELP DESK: 1-800-455-9888 COMMERCIAL 314-263-4864 DSN 693-4864 OR WRITE TO DIRECTOR, NATIONAL GEOSPATIAL INTELLIGENCE AGENCY ATTN: L. E. MALE STOP 1-88 4600 SANGAMORE ROAD, BETHESDA, MD 20818-5003

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

NSN 7643014043679
ED. NO. 002
V742X56543

METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1979
THIS MAP IS RED-LIGHT READABLE