


Prepared and published by the Defense Mapping Agency  
Topographic Center, Washington, D. C.

MAP INFORMATION AS OF 1975

ON THIS MAP, A LINE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH

LEGEND

- ROADS**
- Divided highway with median strip
- Primary, all weather, hard surface
- Secondary, all weather, hard surface
- Light duty, all weather, hard or improved surface
- Fair or dry weather, unimproved surface
- Trail
- Route markers: Interstate, Federal, State
- Bridge: With superstructure, Without superstructure
- RAILROADS (Standard gauge 1.44m-4'8 1/2")
- Single track
- Multiple track
- Nonstop station
- Railroad station: Location known, Location unknown
- Car line
- Railroad bridge: With superstructure, Without superstructure
- Tunnel: Highway, Railroad
- BOUNDARIES**
- National, with monument
- State, territory
- County, parish
- Civil township, town
- Incorporated city, village, town
- Reservation: National, state, Military
- MIL. RES.**
- Power transmission line
- Buildings
- Structures
- Church, school
- Power substation
- Windmill, Watermill
- Well, tank
- Mine shaft
- Open pit mine or quarry
- Horizontal control station
- Bench mark, monument
- Bench mark, non-monument
- Spot elevations in meters: Checked, Unchecked
- Leaves, rills, dikes
- Bluffs, cliffs
- Woodland
- Scattered trees, scrub
- Vineyard, Orchard, plantation
- Interruption: Dam, Earthen, Masonry
- Stream: Perennial, Intermittent
- Marsh, swamp
- Small rapids, Small falls
- Large rapids, Large falls



CONTOUR INTERVAL 10 METERS

SUPPLEMENTARY CONTOURS 5 METERS

SPHEROID: CLARKE 1866  
PROJECTION: TRANSVERSE MERCATOR  
VERTICAL DATUM: NATIONAL GEODETIC VERTICAL DATUM OF 1929  
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM  
CONTROL BY: USGS AND USCGS  
PRINTED BY: DEFENSE MAPPING AGENCY  
Reprinted by NGA 1248

1000 METER GRID SQUARE	46
100 METER REFERENCE	12 45
100,000 M. SQUARE IDENTIFICATION	CL
GRID ZONE DESIGNATION	16S


1. Read large numbers labeling the VERTICAL grid (level of point and estimate tenth (100 meters) from grid line to point. 12.3

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenth (100 meters) from grid line to point. 45.0

Example: 123456

WHEN REPORTING OUTSIDE THE 100,000 METER SQUARE AREA IN WHICH THE POINT LIES, PREFIX THE 100,000 METER SQUARE IDENTIFICATION. Example: CL123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION. Example: 16SCL123456



ADJOINING SHEETS			BOUNDARIES	
3249 III	3249 II	3249 III	LAUDERDALE COUNTY	
3248 IV	3248 I	3248 IV		
3248 III	3248 II	3248 III		

THIS MAP IS RED-LIGHT READABLE

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NGA OPERATIONAL HELP DESK: 1-800-455-6899; COMMERCIAL: 314-263-4894; OSN: 693-4894 OR WRITE TO: DIRECTOR, NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY, ATTN: ES MAIL STOP-L-88, 4800 SANGAMORE ROAD, BETHESDA, MD 20816-5002.