


V745, EDITION 5 - AMS
Prepared by the Army Map Service (PV), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1968 from U.S. Quadrangles, Georgia 1:24,000, U.S. Geological Survey, field checked 1954. Planimetric detail revised by photo planimetric methods. Horizontal and vertical control by USCGS and CE. This map complies with the national standard map accuracy requirements. Map not field checked.

LEGEND

Hard surface, heavy duty road, four or more lanes wide	Improved light duty road, street
Hard surface, heavy duty road, two lanes wide; three lanes wide	Unimproved dirt road, trail
Hard surface, medium duty road, four or more lanes wide	Route markers: Interstate; Federal; State
Hard surface, medium duty road, two lanes wide; three lanes wide	Light, lighthouse; Windmill; wind pump
Buildings	Barns, sheds, greenhouses, etc.
Mines: Open pit; Horizontal shaft; Vertical shaft; Prospect	Intermittent lake and stream
RAILROADS: Single track; Double track; Standard gauge	Marsh or swamp; Dam
Narrow gauge	Large rapids; Large falls
In street	Rapids; Falls; Pier
Carline	Wrecks; Exposed; Sunken
Spot elevations in meters	County
Checked	County subdivision
Unchecked	Corporated limits
Woods or brushwood	Military reservation
Orchard; Scrub	Other reservation
	Bench mark, monumented
	Bench mark, non-monumented
	Limit of danger; Reef
	Man made shoreline



ELEVATIONS IN METERS
CONTOUR INTERVAL 10 METERS
SUPPLEMENTARY CONTOURS 5 METERS
VERTICAL DATUM: SEA LEVEL DATUM OF 1929

TRANSVERSE MERCATOR PROJECTION
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
HYDROGRAPHIC DATUM: MEAN LOW WATER

BLACK NUMBERED LINES INDICATE THE 1000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, CLARKE 1866 SPHEROID
USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK: 1-800-455-0898, COMMERCIAL 314-260-5032; DSN 490-5032; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: CDD, MAIL STOP P-37, 4600 SANGAMORE ROAD, BETHESDA, MD 20816-5003

GRID ZONE DESIGNATION: 17R
100,000 M. SQUARE IDENTIFICATION

MF	900
ME	900

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: MIDDLE	ME	85
1. Read letters identifying 100,000 meter square in which the point lies.		
2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.		
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.		
Estimate tenths from grid line to point:		
SAMPLE REFERENCE:	ME 85393	85
		99
		3

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH
IF REPORTING BEYOND 9°N OR 3°E OR 3°E-W PROFILE
GRID ZONE DESIGNATION, SEE

COVERAGE, ELEVATION GUIDE, ADJOINING SHEETS, METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1-79, ST. CATHERINE'S ISLAND, GEORGIA BOUNDARIES

NSN 7643014043812
NIMA REF. NO. V745X47472