


Prepared and published by the Defense Mapping Agency
 Topographic Center, Washington, D. C.



ELEVATIONS IN METERS
 CONTOUR INTERVAL 10 METERS
 SUPPLEMENTARY CONTOURS 5 METERS

LEGEND

ON THIS MAP, A LANE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH.

ROADS

- Divided highway with median strip
- Primary all weather, hard surface, two or more lanes wide
- Secondary all weather, hard surface, two or more lanes wide
- Fair or dry weather, unpaved surface
- Light-dry, all weather, hard or improved surface
- Trail
- Route markers: Interstate, Federal, State

RAILROADS Standard gauge: 1.4m (4'8 1/2")

- Multiple track
- Multiple track, non-operating
- Railroad station: Position known, Position unknown
- Car line

BOUNDARIES

- National
- State, territory
- County, parish, municipio
- Civil township, precinct, town, barrio
- Incorporated city, village, town, hamlet
- Reservation: National, state, military
- Power transmission line

MAP INFORMATION AS OF 1976

- Church, School, Buildings or structures
- Mine: Horizontal shaft, Vertical shaft
- Windmill, wind pump, Watermill
- Open pit mine or quarry: Active, Inactive
- Horizontal control station
- Bench mark: Monumented, Non-monumented
- Spot elevations in meters: Checked, Unchecked
- Woodland
- Scrub, Orchard
- Intermittent lake and stream
- Marsh or swamp, Dam
- Large rapids, Large falls
- Rapids, Falls, Pier
- Wrecks: Exposed, Sunken
- Rocks: Sunkens, Awaik
- Soundings in meters
- Depth curves in meters
- Foreshore flat
- Limit of danger: Reef, Light
- Man made shoreline

SPHEROID CLARKE 1866
GRID 1,000 METER, UTM ZONE 17
PROJECTION TRANSVERSE MERCATOR
VERTICAL DATUM NATIONAL GEODETIC VERTICAL DATUM OF 1929
HORIZONTAL DATUM 1927 NORTH AMERICAN DATUM
HOROGEOGRAPHIC DATUM MEAN LOW WATER
CONTROL BY DEFENSE MAPPING AGENCY TOPOGRAPHIC CENTER
PRINTED BY USGS
 Reprinted by NSA 10-04
 FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

100 METER REFERENCE

- Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point. Example: 123.456
- Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. Example: 123456

WHEN REPORTING OUTSIDE THE 100,000 METER SQUARE AREA IN WHICH THE POINT LIES, PREFIX THE 100,000 METER SQUARE IDENTIFICATION. Example: MF123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION. Example: 17RAF123456

GRID CONVERSION (172 (4 MILS) FOR CENTER OF SHEET)

TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH SUBTRACT G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH ADD G-M ANGLE

ELEVATION GUIDE

ADJOINING SHEETS

4648 II	4748 III	4748 II
4647 I	4747 IV	4747 I
4647 II	4747 III	4747 II

BOUNDARIES

Chatham County
 Bryan County
 Liberty County

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NSA OPERATIONAL HELP DESK: 1-800-855-8899; COMMERCIAL: 314-283-4884; OR WRITE TO: DIRECTOR, NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY, ATTN: IS, MAIL STOP 1-98, 4800 SAVANNAH ROAD, BETHESDA, MD 20815-9005.

NSN 7643014043810
 NGA, Ref No: V745X47474

ED. NO. 008