


V746, EDITION 5-AMS  
 Prepared by the Army Map Service (P.V.), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1968 from South Carolina, 1:50,000 AMS, sheet 4849 I, revised 1939, reliability fair. Planimetric detail revised by photo-planimetric methods. Aerial photography April 1968. Horizontal and vertical control by USGS. This map complies with the national standard map accuracy requirements. Map not field checked.



- LEGEND**  
 Tint indicates built-up areas in which only landmark buildings are shown  
 ROAD DATA 1968  
 In developed areas, only through roads are classified
- Hard surface, heavy duty road, four or more lanes wide
  - Hard surface, heavy duty road: two lanes wide; three lanes wide
  - Hard surface, medium duty road, four or more lanes wide
  - Hard surface, medium duty road: two lanes wide; three lanes wide
  - Trail
  - Route markers: Interstate, Federal, State, Mines: Open pit; Horizontal shaft; Vertical shaft; Prospect
  - Bench mark, monument
  - Bench mark, non-monumented
  - Spot elevations in meters
  - Checked, Unchecked
  - Light, lighthouse; Windmill, windpump
  - In street
  - Carline
  - BOUNDARIES
  - National
  - State (with monument)
  - County
  - County subdivision
  - Corporate limits
  - Military reservation
  - Other reservation
  - Improved light duty road, street
  - Unimproved dirt road
  - Standard gauge
  - Narrow gauge
  - Single track
  - Multiple track
  - Barns, sheds, greenhouses, stadiums, etc.
  - Vertical shaft: Prospect
  - Bench mark, monument
  - Bench mark, non-monumented
  - Spot elevations in meters
  - Checked, Unchecked
  - Light, lighthouse; Windmill, windpump
  - In street
  - Carline
  - BOUNDARIES
  - National
  - State (with monument)
  - County
  - County subdivision
  - Corporate limits
  - Military reservation
  - Other reservation



**ELEVATIONS IN METERS**  
 CONTOUR INTERVAL 10 METERS  
 SUPPLEMENTARY CONTOURS 5 METERS  
 VERTICAL DATUM: SEA LEVEL DATUM OF 1929  
 REPRINTED BY NIMA 8/02  
 TRANSVERSE MERCATOR PROJECTION  
 HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM

GRID ZONE DESIGNATION: 17S  
 100,000 M. SQUARE IDENTIFICATION

|    |    |   |
|----|----|---|
| NG | 38 | 7 |
|    | 37 | 9 |


TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: SANDY DAM CHURCH


- Read letters identifying 100,000 meter square in which the point lies.
- Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
- Estimate tenths from grid line to point.
- Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
- Estimate tenths from grid line to point.

SAMPLE REFERENCE:  
 If reporting: 17S 38 7 or 17S 38 7  
 Grid Zone Designation, etc.

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA OPERATIONAL HELP DESK 1-800-455-0899; COMMERICAL 314-263-4864; DSN 493-4864; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: G-5, WALK STOP 108, 4600 SANGKANG ROAD, RETHEDA, MD 20816-5003.



Scale 1:50,000  
 GREEN POND 2.4 km  
 ASHEPOO 2.4 km  
 HORSESHOE 2.4 km  
 YEMASSEE 2.4 km  
 SHIPPOO 2.4 km  
 GREEN POND 8.2 km



NSN 7643014043861  
 NIMA REF. NO. V746X48491

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
 WALTERBORO, SOUTH CAROLINA  
 METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1979  
 THIS MAP IS RED-LIGHT READABLE