



**LEGEND**

MAP INFORMATION AS OF 1975  
 ON THIS MAP, A LANE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH.

<b>ROADS</b>	<b>Developed areas</b>
Divided highway with median strip	Buildings, Structures
Primary, all weather, hard surface	Church, School
Secondary, all weather, hard or improved surface	Power substation
Light duty, all weather, hard or improved surface	Windmill, Watermill
Fair or dry weather, unimproved surface	Well, Tank
Trail	Mine shaft
Route markers: Interstate, Federal, State	Open pit mine or quarry; Prospect
Bridge: With superstructure, Without superstructure	Horizontal control station
RAILROADS (Standard gauge 1.44m - 4'8 1/2")	bench mark, monumented
Single track	BM x249
Multiple track	Spot mark, non-monumented
Nonoperating	Spot elevations in meters: Checked, Unchecked
Railroad station: Location known, Location unknown	Levels, in meters
Railroad bridge: With superstructure, Without superstructure	Bluffs, cliffs
Tunnel, Highway, Railroad	Woodland
Power transmission line	Scattered trees, Scrub
<b>BOUNDARIES</b>	Vineyard, Orchard, plantation
National, with monument	Intermittent lake, Dam, Masonry, Earthen
State, territory	Stream, Perennial, Intermittent
County, parish	Marsh, swamp
Civil township, town	Small rapids, Small falls
Incorporated city, village, town	Large rapids, Large falls
Reservation: National, state, Military	

**CONTOUR INTERVAL APPROXIMATELY 25 METERS**  
 CONTOUR VALUES HAVE BEEN CONVERTED FROM FEET TO METERS

**SPHEROID** CLARKE 1866  
**GRID** UTM ZONE 12  
**PROJECTION** TRANSVERSE MERCATOR  
**VERTICAL DATUM** 1929 NATIONAL GEODESIC  
**HORIZONTAL DATUM** 1927 NORTH AMERICAN  
**CONTROL BY** CE, USGS AND NOS  
 Reprinted by NIMA 1208

**USERS SHOULD REFER TO CORRECTIONS, ADDITIONS AND COMMENTS TO THE NIMA CUSTOMER HELP DESK 1-800-465-0889 COMMERCIAL 1-314-260-1238 OR WRITE TO ATTN: CDL MAIL STOP P-37 NATIONAL IMAGERY AND MAPPING AGENCY 4600 SANGHAREE ROAD, BETHESDA MD 20815-5003**

**100 METER REFERENCE**

1. Read large numbers labeling the VERTICAL grid line at 0 point and estimate tenths (100 meters) from gridline to point. 12.3

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. 45.6

Example: 12345.6

WHEN REPORTING ACROSS A 100,000 METER LINE, PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.

Example: DP123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.

Example: 13SDP123456

**GRID ZONE DESIGNATION**  
 DP 100  
 DN  
 13S

