


Prepared by the U.S. Geological Survey and published by the Defense Mapping Agency

LEGEND

- MAP INFORMATION AS OF 1976**
ON THIS MAP, A LANE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH. IN DEVELOPED AREAS, ONLY THROUGH ROADS ARE CLASSIFIED.
- | | |
|--|--|
| <p>ROADS</p> <ul style="list-style-type: none"> Divided highway with median strip Primary, all weather, hard surface Secondary, all weather, hard surface Light duty, all weather, hard or improved surface Fair or dry weather, unimproved surface Trail Road markers: Interstate, Federal, State <p>RAILROADS (Standard gauge 1.44m - 4'8 1/2")</p> <ul style="list-style-type: none"> Single track Multiple track Nonoperating Railroad station, location known Railroad station, location unknown Car line Railroad bridge with superstructure, without superstructure Tunnel, Highway, Railroad <p>BOUNDARIES</p> <ul style="list-style-type: none"> National, with monument State, territory County, parish Civil township, town Incorporated city, village, town Reservation, National, State, Military | <ul style="list-style-type: none"> Power transmission line Buildings Structures Church, School Power substation Windmill, Watermill Well, Tank Mine shaft Open pit mine or quarry Horizontal control station Bench mark, monument Bench mark, non-monumented Spot elevations in meters Leaves, rills, dikes Bluffs, cliffs Woodland Scattered trees, Scrub Vineyard, Orchard, plantation Intermittent lake, Dam, Earthdam, Masonry Stream, Perennial, Intermittent Marsh, swamp Small rapids, Small falls Large rapids, Large falls |
|--|--|



CONTOUR INTERVAL 20 METERS

GRID CONVERGENCE FOR CENTER OF SHEET

SPHEROID: 1960 METERS UTM ZONE 13 CLARK 1866
10,000 FOOT COLORADO STATE PLANE COORDINATE SYSTEM
VERTICAL DATUM: CENTRAL AND SOUTH MOUNTAIN
PROJECTION: TRANSVERSE MERCATOR
HORIZONTAL DATUM: NORTH AMERICAN DATUM OF 1929
CONTROL: U.S. GEODESIC SURVEY
PREPARED BY: U.S. GEOLOGICAL SURVEY
Reprinted by NIMA 10-00

100-METER REFERENCE

1. Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point. 12 3

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. 45 6

WHEN REPORTING OUTSIDE THE 100,000 METER SQUARE AREA IN WHICH THE POINT LIES, PREFIX THE 100,000 METER SQUARE IDENTIFICATION. Example: EN123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION. Example: 13SEN123456

ELEVATION GUIDE

ADJOINING SHEETS

5061 IV	5061 I	5161 IV
5061 III	5061 II	5161 III
5060 IV	5060 I	5160 IV

BOUNDARIES

COLORADO

EL PASO COUNTY

PUEBLO COUNTY

THIS MAP IS RED LIGHT READABLE

TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH ADD G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH SUBTRACT G-M ANGLE

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NGA OPERATIONAL HELP DESK: 1-800-855-0898; COMMERCIAL: 314-226-4884; OR WRITE TO DIRECTOR, NATIONAL GEOSPATIAL INTELLIGENCE AGENCY, ATTN.: ES, MAIL STOP L-86, 8600 SANGAMORE ROAD, BETHESDA, MD 20815-9003.

NSN 7643014044001
NGA Ref No. V777X50612
ED NO 003