


V782, Edition 2-AMS
 Prepared by the Army Map Service (S), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1967 from U.S. Quadrangles, Texas, 1:24,000. USGS, Godley, Bono, Nemo, Acton, field checked 1963 (reliability good). Planimetric detail revised by photo planimetric methods from aerial photographs dated Jan., Mar. 1964. Horizontal and vertical control by USGS and USC&GS. This map complies with the national standard map accuracy requirements. Map not field checked.



ELEVATIONS IN METERS
 CONTOUR INTERVAL 10 METERS
 VERTICAL DATUM: SEA LEVEL OF 1929
 TRANSVERSE MERCATOR PROJECTION
 HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM

BLACK NUMBERED LINES INDICATE THE 1,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 14, CLARKE 1866 SPHEROID

LEGEND
 ROAD DATA 1966
 In developed areas, only through roads are classified.

Hard surface, heavy duty road, four or more lanes wide	Improved light duty road, street
Hard surface, heavy duty road: Two lanes wide; Three lanes wide	Unimproved dirt road
Hard surface, medium duty road, four or more lanes wide	Trail
Hard surface, medium duty road: Two lanes wide; Three lanes wide	Route markers: Interstate, Federal, State
RAILROADS	Barns, sheds, greenhouses, stadiums, etc.
Standard gauge	Bench mark, monument
Narrow gauge	Spot elevation in meters, unrounded
In street	Light, lighthouse, windmill, wind pump, water mill
Car line	Woods or brushwood
BOUNDARIES	Scrub; Orchard
National	Intermittent lake
State (with monument)	Estimate stream; Dam
County	Marsh or swamp
County subdivision	ML RES
Corporate limits	Rapids; Falls
Military reservation	Large rapids; Large falls
Other reservation	

GRID ZONE DESIGNATION: 14S
 100,000 M. SQUARE IDENTIFICATION

PL	29	7
PL	29	7
PL	29	7
PL	29	7

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
 SAMPLE POINT: WINDMILL

1. Read letters identifying 100,000 meter square in which the point lies.
 2. Locate the VERTICAL grid line to left of point and read LARGE figures labeling the line either in the top or bottom margin, or on the line itself.
 3. Locate the HORIZONTAL grid line below point and read LARGE figures labeling the line either in the left or right margin, or on the line itself.
 Estimate tenths from grid line to point.

SAMPLE REFERENCE: PL297825
 If reporting beyond 9°N.S. or 18°W.W. prefix Grid Zone Designation, 9S 14SP297825

IGNORE THE SMALLER figures of any grid number. These are for finding the full coordinates. Use ONLY the LARGER figures of the grid number.

3563000

1:68 PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS Reprinted by NIMA 9-01

BOUNDARIES

A	B	C
---	---	---

ADJOINING SHEETS

6449 III	6449 II	6549 III
6448 IV	6448 I	6548 IV
6448 III	6448 II	6548 III

Metric Conversion of Contours and Elevations 1979
 THIS MAP IS RED-LIGHT READABLE

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092

GODLEY, TEXAS

NSN 7643014044236
 NSA Ref No. V782X64481
 ED. NO. 002

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NSA OPERATIONAL HELP DESK: 1-800-455-0099; COMMERCIAL 314-263-4848; DSN 083-4848; OR WRITE TO: DIRECTOR, NATIONAL GEOGRAPHIC INTELLIGENCE AGENCY, ATTN: ES, MAIL STOP 1-48, 4800 SANGAMORE ROAD, BETHESDA, MD 20816-9003