



Prepared and published by the Defense Mapping Agency
Topographic Center, Washington, D. C.



- LEGEND**
- MAP INFORMATION AS OF 1975
ON THIS MAP A LINE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH.
- ROADS**
 - Divided highway with median strip
 - Primary all weather, hard surface, two or more lanes wide
 - Secondary all weather, hard surface, two or more lanes wide
 - Light duty, all weather, hard or improved surface
 - Fair or dry weather, unimproved surface
 - Trail
 - Route markers: Interstate, Federal, State
 - RAILROADS: Standard gauge 1.44m (4'8 1/2")
 - Single track
 - Multiple track, non-operating
 - Multiple track, operating
 - Car line
 - BOUNDARIES**
 - National
 - State, territory
 - County, parish, municipal
 - Civil township, precinct, town, barrio
 - Incorporated city, village, town, hamlet
 - Reservation: National, state, military
 - Power transmission line
 - Buildings or structures**
 - Church, school
 - Watermill, wind pump
 - Mine, vertical shaft
 - Mine, horizontal shaft
 - Open pit mine or quarry, inactive
 - Open pit mine or quarry, active
 - Horizontal control station
 - Bench mark, monumented
 - Bench mark, non-monumented
 - Spot elevations in meters: Checked, Unchecked
 - Woodland
 - Vineyard, Orchard
 - Intermittent lake
 - Intermittent stream, Dam
 - Marsh or swamp
 - Rapids; Falls
 - Large rapids; Large falls

ELEVATIONS IN METERS

CONTOUR INTERVAL 10 METERS
SUPPLEMENTARY CONTOURS 5 METERS

SPHEROID: CLARKE 1886
GRID: 1,000 METER UTM ZONE 11
PROJECTION: TRANSVERSE MERCATOR
VERTICAL DATUM: NATIONAL GEODETIC VERTICAL DATUM OF 1929
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
CONTROL BY: USGS AND INDONDA
PREPARED BY: DEFENSE MAPPING AGENCY TOPOGRAPHIC CENTER
PRINTED BY: DEFENSE MAPPING AGENCY TOPOGRAPHIC CENTER 1-77
Revised by: NSA 4-88

100 METER REFERENCE

1. Read large numbers labeling the VERTICAL line (feet of point and estimate tenths (100 meters) from grid line to point). Example: 1234.56

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. Example: 45.67

Example: 1234.56

WHEN REPORTING ACROSS A 100,000 METER LINE, PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.

Example: N123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.

Example: 11TNT123456

ELEVATION GUIDE

ADJOINING SHEETS

2771 III	2771 II	2871 III
2770 IV	2770 I	2870 IV
2770 III	2770 II	2870 III

BOUNDARIES

Ada County

METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1979
THIS MAP IS RED LIGHT READABLE

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NSA ENTERPRISE SERVICE DESK: 1-800-455-0888; COMMERCIAL: 301-227-9811; DSN: 287-9811; UNCLASSIFIED EMAIL: ENTERPRISESERVICE@NSA.MIL; SIPRNET: ESC@NSA.NGA.MIL; OR WRITE TO: DIRECTOR, NATIONAL GEOGRAPHIC INTELLIGENCE AGENCY, ATTN: ESC, MAIL STOP D-240, 4600 SANGAMORE ROAD, BETHESDA, MD 20816-5003.

NSN 764301404430
NGA Ref No: V793X27701

ED. NO. 003