



CONVERSION GRAPH
(1 meter = 3.28 feet)
Meters Feet



V795
EDITION 3-NIMA

Prepared and published by the National Imagery and Mapping Agency

NOTES
THE ONLY CHANGE TO THIS EDITION IS THE REGRIDDING FROM NAD83 TO WGS84/NAD83. NOTE THE NEW WGS84/NAD83 COORDINATE VALUES FOR THE CORNER TICS.
THE NORTH AMERICAN DATUM 1983 (NAD 83) AND THE WORLD GEODETIC SYSTEM 1984 DATUM (WGS 84) ARE EQUIVALENT FOR MAPPING, CHARTING AND NAVIGATION AT THIS SCALE.



ELEVATIONS IN METERS
CONTOUR INTERVAL 20 METERS

ELIPSOID GEODETIC REFERENCE SYSTEM 1983
GRID UTM METERS ZONE 11
PROJECTION TRANSVERSE MERCATOR
VERTICAL DATUM SEA LEVEL DATUM OF 1983
HORIZONTAL DATUM WGS84/NAD83
PRINTED BY NIMA 80-22


Reprinted by NGA 04-05
COORDINATE CONVERSION NAD 83/WGS 84 TO NAD 27:
Grid: Add 7m E, Subtract 07m N.
Geographic: Subtract 37 Long, Add 07 Lat.

NGA IS UPDATING THE MILITARY GRID REFERENCE SYSTEM UNTIL ALL THE ADJACENT AND OVERLAPPING SHEETS ARE CONVERTED. THE NEW 100,000 M SQUARE IDENTIFIERS SHALL BE SHOWN IN BLACK AND THE OLD IN BLUE.

100 METER REFERENCE
1. Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point.
2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point.
Example: 123456

WHEN REPORTING ACROSS A 100,000 METER LINE, PREFIX THE 100,000 METER SQUARE IDENTIFICATION AREA, PREFIX THE GRID ZONE DESIGNATION.
Example: 11SMV123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.
Example: 11SMV123456



INDEX TO ADJOINING SHEETS

2554 IV	2554 I	2554 V
2554 III	2554 II	2554 III
2553 IV	2553 I	2553 V

Sheet 2554 II falls within NI 11-2, V950, 1:250,000

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225
OR RESTON, VIRGINIA 22092

NSN 7643014044531
NGA Ref No. V795X25542

ED. NO. 003

METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1979

WGS84/NAD83 OPAL MOUNTAIN, CALIF.
SAN BERNARDINO COUNTY



LEGEND
ROAD DATA 1955

- Hard surface, heavy duty road, four or more lanes wide
- Hard surface, heavy duty road, two lanes wide; three lanes wide
- Hard surface, medium duty road, four or more lanes wide
- Hard surface, medium duty road, two lanes wide; three lanes wide
- Buildings
- Barns, sheds, greenhouses, stadiums, etc.
- RAILROADS
- Standard gauge
- Narrow gauge
- In street
- Carline
- BOUNDARIES
- National
- State (with monument)
- County
- County subdivision
- Corporate limits
- Military reservation
- Other reservation
- Improved light duty road, street
- Unimproved dirt road
- Trail
- Route markers: Federal, State
- Mines: Open pit
- Horizontal shaft; Vertical shaft; Prospect
- Bench mark, monumented
- Bench mark, non-monumented
- Spot elevation in meters: Checked: Unchecked
- Light, lighthouse; Windmill; windpump
- Woods or brushwood
- Vineyard; Orchard
- Intermittent lake
- Intermittent stream; Dam
- Marsh or swamp
- Rapids; Falls
- Rapids; Falls
- Large rapids; Large falls

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NGA OPERATIONAL HELP DESK: 1-800-455-0899; COMMERCIAL 314-201-4884; (201-484-4884) OR WRITE TO: DIRECTOR, NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY, ATTN: ES, MAIL STOP L-88, 4800 SANGAMON ROAD, BETHESDA, MD 20818-5003.