



V795, EDITION 5-NIMA
Prepared and published by the National Imagery and Mapping Agency



ELEVATIONS IN METERS
CONTOUR INTERVAL 20 METERS

ELIPSOID: GEODETIC REFERENCE SYSTEM 1980
GRID: TRANSVERSE MERCATOR
PROJECTION: UTM
VERTICAL DATUM: SEA LEVEL DATUM OF 1929
HORIZONTAL DATUM: WGS84/NAD83
PRINTED BY: NIMA 02-00

COORDINATE CONVERSION NAD 83/WGS 84 TO NAD 27:
Grid: Add 7m E, Subtract 197m N.
Geographic: Subtract 32' Long, Add 07' Lat.



1. Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point.
2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point.
Example: 123456

WHEN REPORTING ACROSS A 100,000 METER LINE, PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.
Example: 11S123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.
Example: 11SM123456

LEGEND
ROAD DATA 1956

- Hard surface, heavy duty road, four or more lanes wide
- Hard surface, heavy duty road: two lanes wide; three lanes wide
- Hard surface, medium duty road, four or more lanes wide
- Hard surface, medium duty road: two lanes wide; three lanes wide
- Buildings, sheds, greenhouses, stadiums, etc.
- RAILROADS
- Standard gauge
- Narrow gauge
- In street
- Carline
- BOUNDARIES
- National
- State (with monument)
- County
- County subdivision
- Corporate limits
- Military reservation
- Other reservation
- Improved light duty road, street
- Unimproved dirt road
- Trail
- Route markers: Federal; State
- Mines: Open pit; Vertical shaft; Prospect
- Horizontal shaft; Vertical shaft; Prospect
- Bench mark, non-monumented
- Bench mark, monumented
- Spot elevations in meters: Checked; Unchecked
- Light, lighthouse; Windmill; windpump
- Woods or brushwood
- Vineyard; Orchard
- Intermittent lake
- Intermittent stream; Dam
- Marsh or swamp
- Rapids; Falls
- Large rapids; Large falls

NOTES
THE ONLY CHANGE TO THIS EDITION IS THE REGRIDDING FROM NAD27 TO WGS84/NAD83. NOTE THE NEW WGS84/NAD83 COORDINATE VALUES FOR THE CORNER TICS.
THE NORTH AMERICAN DATUM 1983 (NAD 83) AND THE WORLD GEODETIC SYSTEM 1984 DATUM (WGS 84) ARE EQUIVALENT FOR MAPPING, CHARTING AND NAVIGATION AT THIS SCALE.
USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA OPERATIONAL HELP DESK: 1-800-485-0898; COMMERCIAL 314-353-4806; OR BY WRITE TO: DIRECTOR, NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY, ATTN: ES, MAIL STOP L-88 4600 SANGAMORE ROAD, BETHESDA, MD 20818-3003.

NIMA IS UPDATING THE MILITARY GRID REFERENCE SYSTEM. UNTIL ALL ADJACENT AND OVERLAPPING SHEETS ARE CONVERTED, THE NEW 100,000 METER SQUARE IDENTIFIERS ARE DEPICTED IN BLACK AND THE OLD IN BLUE.

INDEX TO ADJOINING SHEETS

2544 I	2544 IV	2554 I
2544 II	2544 III	2554 II
2433 I	2553 IV	2553 II

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225
OR RESTON, VIRGINIA 22092

METRIC CONVERSION OF CONTOURS AND ELEVATIONS 1979
THIS MAP IS RED-LIGHT READABLE

WGS84/NAD83 FREMONT PEAK, CALIFORNIA

NSN 7643014044530
NCA Ref No. V795X25543

ED. NO.005