


Prepared by the U.S. Geological Survey for publication by the Defense Mapping Agency Hydrographic/Topographic Center, Washington, D.C.

LEGEND
MAP INFORMATION AS OF 1975
ON THIS MAP, A LANE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 2.5 METERS (8 FEET) IN WIDTH. IN DEVELOPED AREAS, ONLY THROUGH ROADS ARE CLASSIFIED.

- | | |
|--|---|
| <p>ROADS</p> <ul style="list-style-type: none"> Divided highway with median strip Primary, all weather, hard surface Secondary, all weather, hard surface Light duty, all weather, hard or improved surface Fair or dry weather, unimproved surface Trail Route markers: Interstate, Federal, State Road with superstructure, without superstructure RAILROADS (Standard gauge 1.44m - 4'8 1/2") Single track Multiple track Nonoperating Railroad station, location known, location unknown Car line Railroad bridge, with superstructure, without superstructure Tunnel, highway, railroad <p>BOUNDARIES</p> <ul style="list-style-type: none"> National, with monument State, territory County, parish Civil township, town Incorporated city, village, town Reservation: National, State, Military | <ul style="list-style-type: none"> Power transmission line Buildings Church, School Power substation Windmill, Watermill Well, Tank Mine shaft Open pit mine or quarry Horizontal control station Bench mark, monument Bench mark, non-monumented Spot elevations in meters Leaves, rim, dikes Bluffs, cliffs Woodland Scattered trees, scrub Vineyard, Orchard, plantation Intermittent lake, Dam, Earthen, Masonry Stream, Perennial, Intermittent Marsh, swamp Small rapids, Small falls Large rapids, Large falls |
|--|---|



ELEVATIONS IN METERS
CONTOUR INTERVAL 40 METERS
SUPPLEMENTARY CONTOURS 10 METERS


SPHEROID: CLARKE 1866
GRID: 1,000 METER UTM ZONE 11 (BLACK NUMBERED LINES)
10,000 FOOT STATE GRID TICKS CALIFORNIA ZONE 6
PROJECTION: UNIVERSAL TRANSVERSE MERCATOR
VERTICAL DATUM: NATIONAL GEODETIC VERTICAL DATUM OF 1929
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
CONTROL BY: USGS, NOS/NOAA, USBR, AND USCE
PREPARED BY: U. S. GEOLOGICAL SURVEY
PRINTED BY: NIMA 6-57
Reprinted by NIMA 3-01

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225
OR RESTON, VIRGINIA 22092

300 METER REFERENCE
1. Read large numbers labeling the VERTICAL grid (north of point) and estimate tenths (100 meters) from grid line to point. Example: 1234.56
2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. Example: 42.0
Example: 123456

WHEN REPORTING OUTSIDE THE 100,000 METER SQUARE AREA IN WHICH THE POINT LIES, PREFIX THE 100,000 METER SQUARE IDENTIFICATION NUMBER.
Example: 11N123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION.
Example: 11SN123456



TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH
SUBTRACT G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH
ADD G-M ANGLE

1975
G-M ANGLE
131° (240 MMS)

NSN7643014044569
NIMA REF. NO. V795X27512
ED. NO. 005

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA OPERATIONAL HELP DESK: 1-800-452-8869, COMMERICAL 314-252-8864, OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: ES, MAIL STOP 1-88, 4300 SANGAMORE ROAD, BETHESDA, MD 20818-5003

THIS MAP IS RED-LIGHT READABLE
There may be private inholdings within the boundaries of the National or State reservations shown on this map.