

Prepared and published by the Defense Mapping Agency
Topographic Center, Washington, D. C.


LEGEND

ON THIS MAP, A LAKE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 8 FEET (2.5 METERS) IN WIDTH IN DEVELOPED AREAS. ONLY THROUGH ROADS ARE CLASSIFIED. TINT INDICATES BUILT-UP AREAS IN WHICH ONLY LANDMARK BUILDINGS ARE SHOWN.

<ul style="list-style-type: none"> Divided highway with median strip Primary all weather, hard surface, two or more lanes wide Secondary all weather, hard surface, two or more lanes wide Light duty, all weather, hard or improved surface Fair or dry weather, unimproved surface Trail Route markers: Interstate, Federal, State Railroads (Standard gauge: 4'8 1/2"-1.44 m.) Single track Multiple track, non-operating Railroad station: Position known; Position unknown Car line 	<ul style="list-style-type: none"> Church, School Wellhead Windmill, wind pump Mine, vertical shaft Mine, horizontal shaft Open pit mine or quarry, inactive Open pit mine or quarry, active Horizontal control station Bench mark, monumented Bench mark, non-monumented Spot elevations in feet: Checked; Unchecked Woodland; Scrub Vineyard; Orchard Intermittent lake Sea without stream; Dam Marsh or swamp Rapid; Falls Large rapids; Large falls
--	---

BOUNDARIES

- National
- State, territory
- County, parish, municipio
- Civil township, precinct, town, barrio
- Incorporated city, village, town, hamlet
- Reservation: National, state, military
- Power transmission line



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOURS 20 FEET

SPHEROID: CLARKE 1866
PROJECTION: 1000 METER UTM ZONE 11 (BLACK NUMBERED LINES)
VERTICAL DATUM: TRANSVERSE MERCATOR
MEAN SEA LEVEL DATUM 1929
HORIZONTAL DATUM: 1927 NORTH AMERICAN
CONTROL BY: USCGS AND CE

Reprinted by NIMA 3-00

USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK 1-800-458-0899. COMMERCIAL: 214-260-9022; USN: 482-9822; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: CDS, MAIL STOP 937, 4800 SANGAMORE ROAD, BETHESDA, MD 20816-9003

100 METER REFERENCE

1. Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point. 12 3

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. 45 6

Example: 123456

WHEN REPORTING ACROSS A 100,000 METER LINE: PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.

Example: MN123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA: PREFIX THE GRID ZONE DESIGNATION.

Example: 11SMN123456

TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH: ADD G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH: SUBTRACT G-M ANGLE

ELEVATION GUIDE

ADJOINING SHEETS

2550 III	2560 III	2660 III
2559 IV	2559 I	2659 IV
2559 III	2559 II	2659 III

BOUNDARIES

Emeralda County	Nye County
-----------------	------------

NSN 7643014044652
NIMA Ref No. V796X2559I

ED NO. 002