


Prepared and published by the Defense Mapping Agency
Topographic Center, Washington, D. C.

LEGEND

COMPILED IN 1976 FROM BEST AVAILABLE SOURCES
ON THIS MAP, A LINE IS GENERALLY CONSIDERED AS BEING A MINIMUM OF 8 FEET (2.5 METERS) IN WIDTH
IN DEVELOPED AREAS, ONLY THROUGH ROADS ARE CLASSIFIED
TINT INDICATES BUILT-UP AREAS IN WHICH ONLY LANDMARK BUILDINGS ARE SHOWN

- ROADS**
- Divided highway with median strip
- Primary all weather, hard surface, two or more lanes wide
- Secondary all weather, hard surface, two or more lanes wide
- Light duty, all weather, hard or improved surface
- Fair or dry weather, unimproved surface
- Trail
- Route markers: Interstate, Federal, State
- RAILROADS** (Standard gauge: 4'8 1/2" - 1.44 m.)
- Single track
- Multiple track
- Multiple track, non-operating
- Railroad station: Position known; Position unknown
- Car line
- BOUNDARIES**
- National
- State, territory
- County, parish, municipio
- City, township, precinct, town, barrio
- Incorporated city, village, town, hamlet
- Reservation: National, state, military
- Power transmission line
- Church, School
- Watermill
- Windmill, wind pump
- Mine, vertical shaft
- Mine, horizontal shaft
- Open pit mine or quarry, inactive
- Open pit mine or quarry, active
- Horizontal control station
- Bench mark, monumented
- Bench mark, non-monumented
- Spot elevations in feet: Checked, Unchecked
- Woodland, Scrub
- Vineyard, Orchard
- Intermittent lake
- Intermittent stream; Dam
- Marsh or swamp
- Rapids; Falls
- Large rapids; Large falls



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOURS 20 FEET

SPHEROID: CLARKE 1866
GRID: 1 000 METER UTM ZONE 11 (BLACK NUMBERED LINES)
PROJECTION: TRANSVERSE MERCATOR
VERTICAL DATUM: MEAN SEA LEVEL DATUM, 1929
HORIZONTAL DATUM: 1997 NORTH AMERICAN
CONTROL BY: USCGS AND USGS

REPRINTED BY NIMA 07-00
USERS SHOULD REFER TO CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK:
1-800-486-8899 COMMERCIAL 314-266-8200 DSN 468-5202 OR WRITE TO: DIRECTOR, NATIONAL IMAGE AND
MAPPING AGENCY, ATTN: COO, MAIL STOP P-37, 8600 SANGAMORE ROAD, BETHESDA, MD 20818-5003.

100 METER REFERENCE

1. Read large numbers labeling the VERTICAL grid line left of point and estimate tenths (100 meters) from grid line to point. 12 3

2. Read large numbers labeling the HORIZONTAL grid line below point and estimate tenths (100 meters) from grid line to point. 43 6


Example: 123456

WHEN REPORTING ACROSS A 100,000 METER LINE, PREFIX THE 100,000 METER SQUARE IDENTIFICATION, IN WHICH THE POINT LIES.

Example: N123456

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA, PREFIX THE GRID ZONE DESIGNATION.

Example: 11SN123456



ADJOINING SHEETS		
2760 III	2760 II	2860 III
2759 IV	2759 I	2859 IV
2759 III	2759 II	2859 III



BOUNDARIES		
Nye County		