


V798
Edition 1-AMS
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1952 from Arizona, 1:62,500, USGS, Mobile, 1951. Original map compiled by U.S. Geological Survey. Topography by plane-table methods and by photogrammetric methods. Aerial photography 1947. Horizontal and vertical control by USGS and USC&GS. This map complies with the national standard map accuracy requirements. Map field checked, 1951. Public land survey data deleted by SX, 1964.



CONTOUR INTERVAL 20 FEET
VERTICAL DATUM: SEA LEVEL DATUM OF 1929
TRANSVERSE MERCATOR PROJECTION
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
BLACK NUMBERED LINES INDICATE THE 1,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 12
THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED
Reprinted by NIMA 07-00

LEGEND
ROAD DATA 1961

Hard surface, heavy duty road, four or more lanes wide	Improved light duty road, street
Hard surface, heavy duty road, two lanes wide; Three lanes wide	Unimproved dirt road
Hard surface, medium duty road, four or more lanes wide	Trail
Hard surface, medium duty road, two lanes wide; Three lanes wide	Route markers: Federal, State
Buildings	Horizontal control point
Barns, sheds, greenhouses, stadiums, etc.	Bench mark, monumented
Standard gauge railroad	Bench mark, non-monumented
Narrow gauge railroad	Spot elevation in feet: Checked, Unchecked
Railroad in street	Woods or brushwood, scrub
Culvert	Vineyard; Orchard
National boundary	Intermittent lake
State boundary (with monument)	Swamp; marsh
County boundary	Rapids; Falls
County subdivision boundary	Large rapids; Large falls
Corporate limits	
Reservation boundary	

INDEX TO ADJOINING SHEETS


3550 I	3550 II	3550 III
3550 IV	3550 V	3550 VI
3550 VII	3550 VIII	3550 IX

GRID ZONE DESIGNATION
12S
100,000 M. SQUARE IDENTIFICATION
UM

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
SAMPLE POINT: WATER TANK

1. Locate first VERTICAL grid line to LEFT of point and read LARGE figure taking the line either in the top or bottom margin, or on the line itself.
Estimate tenths from grid line to point.
2. Locate first HORIZONTAL grid line BELOW point and read LARGE figure taking the line either in the left or right margin, or on the line itself.
Estimate tenths from grid line to point.

SAMPLE REFERENCE:
To reporting beyond 100,000 meters do not read the last figure of grid, prefix 100,000 (State Square Identification, etc.)
12 reporting beyond 100,000 meters, prefix Grid Zone Designation as: 12S UM 727117



FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225
OR RESTON, VIRGINIA 22092

MOBILE, ARIZONA
MARICOPA COUNTY

NSN 7643014044762
NIMA Ref No. V798X35503

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NIMA CUSTOMER HELP DESK:
1-800-455-6896, COMMERCIAL 314-300-5032; DSN 490-5032; OR WRITE TO: DIRECTOR, NATIONAL IMAGERY AND MAPPING AGENCY, ATTN: CDD, MAIL STOP P-37, 4609 SANGAMORE ROAD, BETHESDA, MD 20815-5003.