

Prepared by the U.S. Geological Survey for Publication by the National Imagery and Mapping Agency

MAP INFORMATION AS OF 1992

LEGEND

POPULATED PLACES
 Densely built-up areas
 Sparingly to moderately built-up areas

ROADS
 Divided highway
 All weather, hard surface
 Two or more lanes wide
 One lane wide
 All weather, loose or light surface
 Two or more lanes wide
 One lane wide

RELIEF
 Bluff, cliff, escarpment
 Depression
 Level, sand
 Spot elevations
 Highest: Normal
 *1942
 *1989

BOUNDARIES
 International
 First-order administrative division

DRAINAGE
 Stream
 Less than 25m wide
 Over 25m wide
 Lake/pond
 Spring
 Well
 Ditch
 Less than 25m wide
 Over 25m wide
 Tank
 Disappearing stream
 Land subject to inundation


VEGETATION
 Woodland
 Scrub, Deciduous trees
 Orchard, Vineyard

MISCELLANEOUS CULTURAL FEATURES
 Cemetery
 Building, School, Hospital
 Located object, Tank, Well
 Mine, Active, Abandoned
 Area name, Elgin

NOTES
 A LANE ON THIS MAP IS CONSIDERED TO BE AT LEAST 25 METERS (8 FEET) WIDE.
 ROAD CLASSIFICATION SHOULD BE REFERRED TO WITH CAUTION.
 IN DEVELOPED AREAS ONLY THROUGH ROADS ARE CLASSIFIED.
 CAUTION: NOT ALL TELEPHONE AND ELECTRIC SERVICE LINES ARE SHOWN.
 THE NUMBER IN BRACKETS, IF FOLLOWING THE POPULATED PLACE NAME INDICATES THAT MORE THAN ONE PLACE IS SO NAMED ON THIS MAP.



ELEVATIONS IN METERS
CONTOUR INTERVAL 40 METERS



BOUNDARIES

ADJOINING SHEETS

3847 IV	3847 I	3847 IV
3847 III	3847 II	3847 III
3846 IV	3846 I	3846 IV

SLOPE GUIDE

ELEVATION GUIDE

GRID CONVERGENCE
 0.12 (1/8) MILS FOR CENTER OF SHEET

TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH
 ADD G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH
 SUBTRACT G-M ANGLE

THIS MAP IS RED- AND BLUE/GREEN-LIGHT READABLE