

U.S. DEPARTMENT OF THE INTERIOR  
U.S. GEOLOGICAL SURVEY

## BEDROCK GEOLOGIC MAP OF NORTHERN NEW JERSEY

By Avery Ala Drake, Jr., Richard A. Volkert, Donald H. Monteverde,  
Gregory C. Herman, Hugh F. Houghton, Ronald A. Parker, and  
Richard F. Dalton

Prepared in cooperation with the  
NEW JERSEY GEOLOGICAL SURVEY

DRAKE AND OTHERS—BEDROCK GEOLOGIC MAP OF NORTHERN NEW JERSEY SCALE 1:100,000 MAP I-2540-A

MISCELLANEOUS INVESTIGATIONS SERIES  
Published by the U.S. Geological Survey, 1996

ISBN 0-607-86641-1



9 780607 866414

## BEDROCK GEOLOGIC MAP OF NORTHERN NEW JERSEY

Avery Ala Drake, Jr., Richard A. Volkert, Donald H. Monteverde, Gregory C. Herman,  
Hugh F. Houghton, Ronald A. Parker, and Richard F. Dalton

### SOURCES OF GEOLOGIC DATA

(Sources marked by † used in map construction and includes sources of conceptual data not shown in the topographic and geologic index)

- †1. Alvord, D.C., and Drake, A.A., Jr., 1971, Geologic map of the Bushkill quadrangle, Pennsylvania–New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-908, scale 1:24,000.
- †2. Baker, D.R., and Buddington, A.F., 1970, Geology and magnetite deposits of the Franklin quadrangle and part of the Hamburg quadrangle, New Jersey: U.S. Geological Survey Professional Paper 638, 73 p., scale 1:24,000.
- †3. Banino, G.M., 1967, Geologic map of the Musconetcong Valley, Hackettstown, New Jersey: New Jersey Geological Survey unpublished map on file, Trenton, N.J., scale 1:24,000.
4. Barnett, S.G., III, 1970, Upper Cayugan and Helderbergian stratigraphy of southeastern New York and northern New Jersey: Geological Society of America Bulletin, v. 81, no. 8, p. 2375–2402.
5. ————1976, Geology of the Paleozoic rocks of the Green Pond outlier: New Jersey Geological Survey Geologic Report Series No. 11, 9 p.
- †6. Baskerville, C.A., 1990, Bedrock and engineering geologic maps of New York and parts of Kings and Queens Counties, New York, and parts of Bergen and Hudson Counties, New Jersey: U.S. Geological Survey Open-File Report 89-462, scale 1:24,000.
- †7. Baum, J.L., 1967, The Tranquility Zinc Prospect, Green Township, Sussex County, New Jersey: New Jersey Zinc Company of Franklin inter-office correspondence on file at New Jersey Geological Survey, Trenton, 14 p.
- †8. Bayley, W.S., Salisbury, R.D., and Kümmel, H.B., 1914, Description of the Raritan quadrangle, New Jersey: U.S. Geological Survey Geologic Atlas Folio 191, 32 p.
- †9. Berry, W.B.N., 1968, Ordovician paleogeography of New England and adjacent areas based on graptolites, in Zen, E-an, White, W.S., Hadley, J.B., and Thompson, J.B., Jr., eds., Studies in Appalachian geology, northern and maritime: New York, Interscience Publishers, Chap. 2, p. 23–34.
10. Boucot, A.J., 1959, Brachiopods of the Lower Devonian rocks at Highland Mills, New York: Journal of Paleontology, v. 33, no. 5, p. 727–769.
11. Bouma, A.H., 1962, Sedimentology of some flysch deposits; a graphic approach to facies interpretation: New York, Elsevier Publishing Co., 168 p.
- †12. Burton, W.C., and Ratcliffe, N.M., 1985, Attitude, movement history, and structure of cataclastic rocks of the Flemington fault; results of core drilling near Oldwick, New Jersey: U.S. Geological Survey Miscellaneous Field Studies Map MF-1781.
- †13. Canace, R.J., 1980's, New Jersey Geological Survey unpublished data.
- †14. Canace, R.J., and Hutchinson, Wayne, 1989, Bedrock topography and profiles of valley-fill deposits in the Ramapo River valley, New Jersey: New Jersey Geological Survey Geologic Map Series 88-6, scale 1:25,000.
15. Chadwick, G.H., 1908, Revision of "the New York series": Science, new series, v. 28, p. 346–348.
- †16. Chapman, D.F., 1966, Petrology and structure of the Byram Cove synform, Precambrian Highlands, New Jersey: New Brunswick, N.J., Rutgers University, unpublished M.S. thesis, 116 p.
17. Christopher, R.A., 1979, Normapolles and triporate pollen assemblages from the Raritan and Magothy Formations (Upper Cretaceous) of New Jersey: Palynology, v. 3, p. 73–121.
18. ————1982, The occurrence of the *Complexiopollis-Atlantopollis* Zone (palynomorphs) in the Eagle Ford Group (Upper Cretaceous) of Texas: Journal of Paleontology, v. 56, no. 2, pt. 1, p. 525–541.
19. Clarke, J.M., 1903, Classification of New York series of geological formations: New York State Museum Handbook 19, 28 p.
20. Clarke, J.M., and Schuchert, Charles, 1899, The nomenclature of the New York series of geological formations: Science, new series, v. 10, p. 874–878.
21. Cobban, W.A., and Kennedy, W.J., 1990, Upper Cenomanian ammonites from the Woodbridge Clay Member of the Raritan Formation in New Jersey: Journal of Paleontology, v. 64, no. 5, p. 845–846.
22. Cook, G.H., 1868, Geology of New Jersey: New Jersey Geological Survey, Newark, [Trenton], 900 p.
- †23. Comet, Bruce, 1977, The palynostratigraphy and age of the Newark Supergroup: University Park, Pennsylvania State University, unpublished Ph.D. thesis, 527 p.
- †24. Dalton, R.F., 1967–92, New Jersey Geological Survey unpublished data.
- †25. Dames and Moore, 1981, Preliminary engineering analysis, dam and dike facilities, proposed Hackettstown reservoir, Hackettstown, New Jersey: Unpublished consultant's report for New Jersey Department of Environmental Protection on file at New Jersey Geological Survey, Trenton, unpaginated.
26. Darton, N.H., 1894, Geologic relations from Green Pond, New Jersey, to Skunnemunk Mountain, New York: Geological Society of America Bulletin, v. 5, p. 367–394.

- †27. Darton, N.H., Bayley, W.S., Salisbury, R.D., and Kümmel, H.B., 1908, Description of the Passaic quadrangle, New Jersey—New York: U.S. Geological Survey Geologic Atlas Folio 157, 27 p., scale 1:125,000.
- †28. Davis, R.E., Drake, A.A., Jr., and Epstein, J.B., 1967, Geologic map of the Bangor quadrangle, Pennsylvania—New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-665, scale 1:24,000.
- †29. Denkler, K.E., and Harris, A.G., 1988, Conodont-based determination of the Silurian-Devonian boundary in the Valley and Ridge Province, Northern and Central Appalachians, in Sando, W.J., Contributions to paleontology and stratigraphy: U.S. Geological Survey Bulletin 1837, p. B1-B13.
- †30. Drake, A.A., Jr., 1967a, Geologic map of the Bloomsbury quadrangle, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-595, scale 1:24,000.
- †31. ————1967b, Geologic map of the Easton quadrangle, New Jersey—Pennsylvania: U.S. Geological Survey Geologic Quadrangle Map GQ-594, scale 1:24,000.
- †32. ————1969, Precambrian and lower Paleozoic geology of the Delaware Valley, New Jersey—Pennsylvania, field trip 1-A, in Subitzky, Seymour, ed., Geology of selected areas in New Jersey and eastern Pennsylvania and guidebook of excursions: New Brunswick, N.J., Rutgers University Press, p. 51-131.
- †33. ————1978, The Lyon Station-Paulins Kill nappe; the frontal structure of the Musconetcong nappe system in eastern Pennsylvania and New Jersey: U.S. Geological Survey Professional Paper 1023, 20 p.
34. ————1984, The Reading Prong of New Jersey and eastern Pennsylvania; an appraisal of the rock relations and chemistry of a major Proterozoic terrane in the Appalachians, in Bartholomew, M.J., ed., The Grenville event in the Appalachians and related topics: Geological Society of America Special Paper 194, p. 75-109.
35. ————1991, The High Point Member (Upper Ordovician) of the Martinsburg Formation in northern New Jersey and southeastern New York, in Drake, A.A., Jr., ed., Contributions to New Jersey geology: U.S. Geological Survey Bulletin 1952, p. B1-B9.
- †36. ————1992, Bedrock geologic map of the Newton West quadrangle, Sussex and Warren Counties, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1703, scale 1:24,000.
- †37. ————1957-90, U.S. Geological Survey unpublished data.
38. Drake, A.A., Jr., Aleinikoff, J.N., and Volkert, R.A., 1991a, The Mount Eve Granite (Middle Proterozoic) of northern New Jersey and southeastern New York, in Drake, A.A., Jr., ed., Contributions to New Jersey geology: U.S. Geological Survey Bulletin 1952, p. C1-C10.
39. ————1991b, The Byram Intrusive Suite of the Reading Prong; age and tectonic environment, in Drake, A.A., Jr., ed., Contributions to New Jersey geology: U.S. Geological Survey Bulletin 1952, p. D1-D14.
40. Drake, A.A., Jr., and Epstein, J.B., 1967, The Martinsburg Formation (Middle and Upper Ordovician) in the Delaware Valley, Pennsylvania—New Jersey: U.S. Geological Survey Bulletin 1244-H, p. H1-H16.
- †41. Drake, A.A., Jr., Epstein, J.B., and Aaron, J.M., 1969, Geologic map and sections of parts of the Portland and Belvidere quadrangles New Jersey—Pennsylvania: U.S. Geological Survey Miscellaneous Investigations Series Map I-552, scale 1:24,000.
- †42. Drake, A.A., Jr., Kastelic, R.L., Jr., and Lyttle, P.T., 1985, Geologic map of the eastern parts of the Belvidere and Portland quadrangles, Warren County, New Jersey: U.S. Geological Survey Miscellaneous Investigations Series Map I-1530, scale 1:24,000.
43. Drake, A.A., Jr., and Lyttle, P.T., 1980, Alleghanian thrust faults in the Kittatinny Valley, New Jersey, in Manspeizer, Warren, ed., Field studies of New Jersey geology and guide to field trips; 52nd annual meeting of the New York State Geological Association: Newark, N.J., Rutgers University Press, p. 92-114.
- †44. ————1985, Geologic map of the Blairstown quadrangle, Warren County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1585, scale 1:24,000.
- †45. Drake, A.A., Jr., McLaughlin, D.B., and Davis, R.E., 1961, Geology of the Frenchtown quadrangle, New Jersey—Pennsylvania: U.S. Geological Survey Geologic Quadrangle Map GQ-133, scale 1:24,000.
- †46. ————1967, Geologic map of the Riegelsville quadrangle, Pennsylvania—New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-593, scale 1:24,000.
- †47. Drake, A.A., Jr., and Monteverde, D.H., 1992a, Bedrock geologic map of the Branchville quadrangle, Sussex County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1700, scale 1:24,000.
- †48. ————1992b, Bedrock geologic map of the Unionville quadrangle, Orange County, New York, and Sussex County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1699, scale 1:24,000.
49. Drake, A.A., Jr., and Volkert, R.A., 1991, The Lake Hopatcong Intrusive Suite (Middle Proterozoic) of the New Jersey Highlands, in Drake, A.A., Jr., ed., Contributions to New Jersey geology: U.S. Geological Survey Bulletin 1952, p. A1-A9.
- †50. ————1993, Bedrock geologic map of the Newton East quadrangle, Sussex County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1707, scale 1:24,000.
- †51. Drake, A.A., Jr., Volkert, R.A., Lyttle, P.T., and Germiné, Mark, 1993, Bedrock geologic map of the Tranquility quadrangle, Sussex, Warren, and Morris Counties, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1717, scale 1:24,000.
- †52. Drake, A.A., Jr., Volkert, R.A., Monteverde, D.H., and Kastelic, R.L., Jr., 1994, Bedrock geologic map of the Washington quadrangle, Hunterdon, Warren, and Morris Counties, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ-1741, scale 1:24,000.
53. Eby, G.N., Sclar, C.B., and Myers, P.B., 1992, A fission-track date on magmatic titanite from the Beemerville nepheline syenite, Sussex County, N.J.: Geological Society of America Abstracts with Programs, v. 24, no. 3, p. 18.
54. Epstein, A.G., Epstein, J.B., Spink, W.J., and Jennings, D.S., 1967, Upper Silurian and Lower Devonian stratigraphy of northeastern Pennsylvania, New Jersey, and southeasternmost New York: U.S. Geological Survey Bulletin 1243, 74 p.
- †55. Epstein, J.B., 1973, Geologic map of the Stroudsburg quadrangle, Pennsylvania—New Jersey: U.S. Geologi-

- cal Survey Geologic Quadrangle Map GQ-1047, scale 1:24,000.
- †56. ———1984, Onesquethawan stratigraphy (Lower and Middle Devonian) of northeastern Pennsylvania: U.S. Geological Survey Professional Paper 1337, 35 p.
- †57. ———1958–92, U.S. Geological Survey unpublished data.
58. Epstein, J.B., and Epstein, A.G., 1972, The Shawangunk Formation (Upper Ordovician(?) to Middle Silurian) in eastern Pennsylvania: U.S. Geological Survey Professional Paper 744, 45 p.
- †59. Epstein, J.B., and Lyttle, P.T., 1987, Trip C; structure and stratigraphy above, below, and within the Taconic unconformity, southeastern New York, in *Waines, R.H., ed., New York State Geological Association field trip guidebook, 59th annual meeting: State University of New York, College at New Paltz*, p. C1–C78.
60. Ethington, R.L., Furnish, W.M., Jr., and Markewicz, F.J., 1958, Ordovician conodonts in New Jersey: *Journal of Paleontology*, v. 32, no. 4, p. 763–765.
- †61. Finney, S.C., 1985–90, California State University at Long Beach unpublished data.
62. Fletcher, F.W., and Woodrow, D.L., 1970, Geology and mineral resources of the Pennsylvania portion of the Milford and Port Jervis 15-minute quadrangles: *Pennsylvania Geological Survey, Fourth Series, Atlas 223*, 64 p., scale 1:62,500.
- †63. Goodspeed, R.M., 1970, An investigation of the coexisting feldspars from the Precambrian plutonic rocks in the Wanaque area, New Jersey: New Brunswick, N.J., Rutgers University, unpublished Ph.D. dissertation, 189 p.
- †64. Hague, J.M., Baum, J.L., Herman, L.A., and Pickering, R.J., 1956, Geology and structure of the Franklin-Sterling area, New Jersey: *Geological Society of America Bulletin*, v. 67, no. 4, p. 435–473.
65. Hall, L.M., in press, Bedrock geologic map of the White Plains quadrangle, New York: New York State Museum and Science Service Map and Chart Series, no. XXX, scale 1:XXX.
- †66. Harris, A.G., 1961–92, U.S. Geological Survey unpublished data.
67. Hartnagel, C.A., 1907, Upper Siluric and Lower Devonic formations of the Skunnekunk Mountain region: *New York State Museum Bulletin 107*, p. 39–54.
- †68. Herman, G.C., 1985–92, New Jersey Geological Survey unpublished data.
- †69. Herman, G.C., Houghton, H.F., Monteverde, D.H., and Volkert, R.A., 1992, Bedrock geologic map of the Pittstown and Flemington quadrangles, Hunterdon and Somerset Counties, New Jersey: New Jersey Geological Survey, Open-File Map, OFM-10, scale 1:24,000.
- †70. Herman, G.C., and Mitchell, J.P., 1991, Bedrock geologic map of the Green Pond Mountain region from Dover to Greenwood Lake, New Jersey: New Jersey Geological Survey Geologic Map Series 91-2, scale 1:24,000.
- †71. Herman, G.C., and Monteverde, D.H., 1989, Tectonic framework of Paleozoic rocks of northwestern New Jersey; bedrock structure and balanced cross sections of the Valley and Ridge Province and southwest Highlands area, in *Grossman, I.G., ed., Paleozoic geology of the Kittatinny Valley and southwest Highlands area, New Jersey: Easton, Penn., Geological Association of New Jersey, 6th annual field conference, Oct. 20–21, 1989*, p. 1–57, 3 pl.
- †72. Herman, G.C., and Volkert, R.A., 1995, Bedrock geologic map of the Newfoundland quadrangle, Passaic, Morris, and Sussex Counties, New Jersey: New Jersey Geological Survey Open-File Map, OFM-17, scale 1:24,000.
- †73. Herpers, H.F., Jr., 1942–52, New Jersey Geological Survey unpublished data.
- †74. Hobson, J.P., Jr., 1963, Stratigraphy of the Beekmantown Group in southeastern Pennsylvania: *Pennsylvania Geological Survey, Fourth Series, Bulletin G-37*, 331 p.
- †75. Hotz, P.E., 1953, Magnetite deposits of the Sterling Lake, New York–Ringwood, New Jersey area: *U.S. Geological Survey Bulletin 982-F*, p. 153–244.
- †76. Houghton, H.F., 1975–90, New Jersey Geological Survey unpublished data.
- †77. Houghton, H.F., Herman, G.C., and Volkert, R.A., 1992, Igneous rocks of the Flemington fault zone, central Newark basin, New Jersey; geochemistry, structure, and stratigraphy, in *Puffer, J.H., and Ragland, P.C., eds., Eastern North American Mesozoic magmatism: Geological Society of America Special Paper 268*, p. 219–232.
- †78. Houghton, H.F., and Volkert, R.A., 1990, Bedrock geologic map of the Gladstone quadrangle, Morris, Hunterdon, and Somerset Counties, New Jersey: New Jersey Geological Survey Geologic Map Series 89-4, scale 1:24,000.
79. Howell, B.F., 1945, Revision of the Upper Cambrian faunas of New Jersey: *Geological Society of America Memoir 12*, 46 p.
80. Howell, B.F., Roberts, H.B., and Willard, Bradford, 1950, Subdivision and dating of the Cambrian of eastern Pennsylvania: *Geological Society of America Bulletin*, v. 61, no. 12, p. 1355–1367.
81. Karklins, O.L., and Repetski, J.E., 1989, Distribution of selected Ordovician conodont faunas in northern New Jersey: *U.S. Geological Survey Miscellaneous Field Studies Map MF-2066*, scale 1:185,000.
- †82. Kastelic, R.L., Jr., 1980, Precambrian geology and magnetite deposits of the New Jersey Highlands in Warren County, New Jersey: *U.S. Geological Survey Open-File Report 80-789*, 155 p.
83. Kümmel, H.B., 1897, The Newark System; report of progress: *New Jersey Geological Survey Annual Report 1896*, p. 25–88.
- †84. ———1901, Report on Portland cement industry: *New Jersey Geological Survey Annual Report 1900*, p. 9–101.
85. ———1908, Paleozoic sedimentary rocks of the Franklin Furnace quadrangle, New Jersey, in *Spencer, A.C., Kümmel, H.B., Salisbury, R.D., Wolff, J.E., and Palache, Charles, Description of the Franklin Furnace quadrangle, New Jersey: U.S. Geological Survey Geologic Atlas Folio 161*, p. 10–12.
- †86. ———1889–1937, New Jersey Geological Survey unpublished data.
- †87. Kümmel, H.B., and Weller, Stuart, 1902, The rocks of the Green Pond Mountain region: *New Jersey Geological Survey Annual Report 1901*, p. 1–51.

88. Lash, G.G., and Drake, A.A., Jr., 1984, The Richmond and Greenwich slices of the Hamburg klippe in eastern Pennsylvania; stratigraphy, sedimentology, structure, and plate tectonic implications: U.S. Geological Survey Professional Paper 1312, 40 p.
- †89. Lewis, J.V., and Kümmel, H.B., 1910–1912, Geologic map of New Jersey: New Jersey Department of Conservation and Economic Development, Atlas Sheet 40, (revised 1931 by Kümmel, H.B., and 1950 by Johnson, M.E.), scale 1:250,000.
- †90. Lyttle, P.T., 1977–82, U.S. Geological Survey unpublished data.
91. Lyttle, P.T., and Epstein, J.B., 1987, Geologic map of the Newark 1 × 2 degree quadrangle, New Jersey, Pennsylvania, and New York: U.S. Geological Survey Miscellaneous Investigations Series Map I-1715, scale 1:250,000.
92. MacLachlan, D.B., 1979, Geology and mineral resources of the Temple and Fleetwood quadrangles, Berks County, Pennsylvania: Pennsylvania Geological Survey Atlas 187a, b, scale 1:24,000.
- †93. Manspeizer, Warren, 1980, Rift tectonics inferred from volcanic and clastic structures, in Manspeizer, Warren, ed., *Field studies of New Jersey geology and guide to field trips*; 52nd annual meeting of the New York State Geological Association: Brunswick, N.J., Rutgers University Press, p. 314–351.
94. Manspeizer, Warren, and Olsen, P.E., 1981, Rift basins of the passive margin; tectonics, organic-rich lacustrine sediments, basin analysis, in Hobbs, G.W., ed., *Field guide to the geology of the Paleozoic, Mesozoic, and Tertiary rocks of New Jersey and the central Hudson Valley*, New York: New York, Petroleum Exploration Society of New York, p. 25–103.
- †95. Markewicz, F.J., 1950–90, New Jersey Geological Survey unpublished data.
96. Markewicz, F.J., and Dalton, Richard, 1977, Stratigraphy and applied geology of the lower Paleozoic carbonates in northwestern New Jersey, in Markewicz, F.J., Dalton, Richard, Spink, Walter, Metsger, Robert, and Lucey, Carol, *Stratigraphy and applied geology of the lower Paleozoic carbonates in northwestern New Jersey*, 42nd annual field conference of Pennsylvania Geologists, guidebook: Harrisburg, Pa., p. 1–37.
- †97. Markewicz, F.J., and Dalton, R.F., 1980, Lower Paleozoic carbonates; Great Valley, in Manspeizer, Warren, ed., *Field studies of New Jersey geology and guide to field trips*; 52nd annual meeting of the New York State Geological Association: Brunswick, N.J., Rutgers University Press, p. 54–68.
- †98. Markewicz, F.J., Spink, W.J., Kasabach, H.F., and others, 1963, Preliminary geologic map of the Belvidere area: Trenton, New Jersey Geological Survey, unpublished map, scale 1:24,000.
99. Mather, W.W., 1840, Fourth annual report of the first geological district of the State of New York: New York Geological Survey Annual Report 4, p. 209–258.
- †100. McLaughlin, D.B., 1945, Type sections of the Stockton and Lockatong formations (Pennsylvania and New Jersey): Pennsylvania Academy of Science Proceedings, v. 19, p. 102–113.
- †101. ——— 1959, Mesozoic rocks, in Willard, Bradford, ed., *Geology and resources of Bucks County, Pennsylvania*: Pennsylvania Geological Survey, 4th Series, Bulletin C-9, chap. 4, p. 55–162.
- †102. Merchant, J.S., and Teet, J.E., 1954, Progress report, Kittatinny limestone, Sussex County, New Jersey: Ogdensburg, N.J., New Jersey Zinc Company, unpublished report on file at New Jersey Geological Survey, Trenton, 24 p.
103. Miller, R.L., 1937, Stratigraphy of the Jacksonburg Limestone: Geological Society of America Bulletin, v. 48, no. 11, p. 1687–1717.
- †104. Minard, J.P., 1959, The geology of Peapack-Ralston Valley in north-central New Jersey: New Brunswick, N.J., Rutgers University, unpublished M.S. thesis, 103 p.
- †105. Monteverde, D.H., 1992, Bedrock geologic map of the New Jersey portions of the Culvers Gap and Lake Maskenozha quadrangles, Sussex County, New Jersey: New Jersey Geological Survey Geologic Map Series 92-1, scale 1:24,000.
- †106. ——— 1985–92, New Jersey Geological Survey unpublished data.
107. Monteverde, D.H., and Herman, G.C., 1989, Lower Paleozoic environments of deposition and the discontinuous sedimentary deposits atop the Middle Ordovician unconformity in New Jersey, in Grossman, I.G., ed., *Paleozoic geology of the Kittatinny Valley and southwest Highlands area*, New Jersey: Easton, Penn., Geological Association of New Jersey, 6th annual field conference, Oct. 20–21, 1989, p. 95–120.
- †108. New Jersey Geological Survey, 1850–1992, Permanent notes on file at New Jersey Geological Survey, Trenton.
- †109. New Jersey Zinc Company, 1850–1990, Unpublished data.
110. Olsen, P.E., 1980, The latest Triassic and Early Jurassic formations of the Newark basin (eastern North America, Newark Supergroup); stratigraphy, structure, and correlation: New Jersey Academy of Science Bulletin, v. 25, no. 2, p. 25–51.
111. ——— 1985, Distribution of organic-matter-rich lacustrine rocks in the early Mesozoic Newark Supergroup, in Robinson, G.R., Jr., and Froelich, A.J., eds., *Proceedings of the second U.S. Geological Survey workshop on the early Mesozoic basins of the Eastern United States*: U.S. Geological Survey Circular 946, p. 61–64.
112. Olsen, P.E., Schlische, R.W., and Gore, P.J.W., eds., 1989, *Sedimentation and basin analysis in siliciclastic rock sequences; volume 2, tectonic, depositional, and paleoecological history of the early Mesozoic rift basins, eastern North America*: Washington, D.C., American Geophysical Union, 28th International Geological Congress, Field Trip Guidebook T351, 174 p.
- †113. Offield, T.W., 1967, Bedrock geology of the Goshen-Greenwood Lake area, New York: New York State Museum and Science Service Map and Chart Series, no. 9, 77 p.
- †114. Owens, J.P., 1957–90, U.S. Geological Survey unpublished data.
115. Palmer, A.R., and Rozanov, A.Y., 1976, Archaeocyatha from New Jersey; evidence for an intra-Cambrian unconformity in the north-central Appalachians: *Geology*, v. 4, p. 773–774.

- †116. Parker, R.A., 1993, Stratigraphic relations of the sedimentary rocks below the (Lower Jurassic) Orange Mountain Basalt northern Newark Basin, New Jersey and New York: U.S. Geological Survey Miscellaneous Field Studies Map MF-2208, scale 1:100,000.
- †117. ———1985-92, U.S. Geological Survey unpublished data.
- †118. Parker, R.A., Houghton, H.F., and McDowell, R.C., 1988, Stratigraphic framework and distribution of early Mesozoic rocks of the northern Newark basin, New Jersey and New York, in Froelich, A.J., and Robinson, G.R., Jr., Studies of the early Mesozoic basins of the Eastern United States: U.S. Geological Survey Bulletin 1776, p. 31-39.
- †119. Parrillo, D.G., 1960, Precambrian geology of the Wanaque-Butler area: New Brunswick, N.J., Rutgers University, unpublished Master's thesis, 60 p.
120. Parris, D.C., and Cruikshank, K.M., 1992, Graptolite biostratigraphy of the Ordovician Martinsburg Formation in New Jersey and contiguous areas: New Jersey Geological Survey, Geological Survey Report 28, 18 p.
- †121. Perissoratis, Constantine, 1974, Jutland Klippe; a Taconic type allochthon in western New Jersey: New York, City University of New York, Queens College, unpublished M.S. thesis, 117 p.
122. Perissoratis, Constantine, Brock, P.W.G., Brueckner, H.K., Drake, A.A., Jr., and Berry, W.B.N., 1979, The Taconides of western New Jersey; New evidence from the Jutland klippe; summary: Geological Society of America Bulletin, p. II, v. 90, no. 1, p. II154-II177.
- †123. Puffer, J.H., and Lechler, Paul, 1980, Geochemical cross sections through the Watchung Basalt of New Jersey: Geological Society of America Bulletin, pt. I, v. 91, no. 1, p. I7-II10.
124. Puffer, J.H., Volkert, R.A., and Hozik, M.J., 1991, Probable Late Proterozoic mafic dikes in the New Jersey Highlands: Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 118.
125. Ratcliffe, N.M., 1987, High TiO<sub>2</sub> metadiabase dikes of the Hudson Highlands, New York and New Jersey; possible late Proterozoic rift rocks in the New York recess: American Journal of Science, v. 287, no. 8, p. 817-850.
- †126. Repetski, J.E., 1977-92, U.S. Geological Survey unpublished data.
- †127. Resch, N.K., 1967, New Jersey Department of Transportation unpublished data.
128. Riva, John, 1969, Middle and Upper Ordovician graptolite faunas of St. Lawrence lowlands of Quebec and Anticosti Island, in Kay, Marshall, ed., North Atlantic; geology and continental drift: American Association of Petroleum Geologists Memoir 12, p. 513-556.
129. ———1974, A revision of some Ordovician graptolites of eastern North America: Paleontology, v. 17, pt. 1, p. 1-40.
130. Rogers, H.D., 1836, Report on the geological survey of the State of New Jersey: Philadelphia, Desilver, Thomas, & Co., 174 p.
- †131. Sims, P.K., 1958, Geology and magnetite deposits of Dover District, Morris County, New Jersey: U.S. Geological Survey Professional Paper 287, 162 p.
- †132. Sims, P.K., and Leonard, B.F., III, 1952, Geology of the Andover mining district, Sussex County, New Jersey: New Jersey Department of Conservation, Geologic Series Bulletin 62, 46 p.
- †133. Smith, B.L., 1969, The Precambrian geology of the central and northeastern parts of the New Jersey Highlands, in Subitzky, Seymour, ed., Geology of selected areas in New Jersey and eastern Pennsylvania and guidebook of excursions: New Brunswick, N.J., Rutgers University Press, p. 35-47.
- †134. Spencer, A.C., Kümmel, H.B., Wolff, D.E., Salisbury, R.D., and Palache, Charles, 1908, Description of Franklin Furnace quadrangle, New Jersey: U.S. Geological Survey Geologic Atlas Folio 161, 27 p., scale 1:62,500.
- †135. Spink, W.J., 1967, Stratigraphy and structure of the Paleozoic rocks of northwestern New Jersey: New Brunswick, N.J., Rutgers University, unpublished Ph.D. dissertation, 311 p.
- †136. Stone, B.D., 1984-92, U.S. Geological Survey unpublished data.
- †137. Sugarman, P.J., 1984-92, New Jersey Geological Survey unpublished data.
138. Sweet, W.C., and Bergstrom, S.M., 1986, Conodonts and biostratigraphic correlation: Annual Review of Earth and Planetary Science, v. 14, p. 85-112.
- †139. Van Houten, F.B., 1969, Late Triassic Newark Group, northcentral New Jersey and adjacent Pennsylvania and New York, in Subitzky, Seymour, ed., Geology of selected areas in New Jersey and eastern Pennsylvania and guidebook of excursions: New Brunswick, N.J., Rutgers University Press, p. 314-347.
140. Vanuxem, Lardner, 1840, Fourth annual report of the geological survey of the third district: New York Geological Survey Annual Report 4, p. 355-383.
141. ———1842, Geology of New York, part III, comprising the survey of the third geological district: Albany, N.Y., 306 p.
- †142. Volkert, R.A., 1988a, Geologic map of the Mendham quadrangle, Morris County, New Jersey: New Jersey Geological Survey Geologic Map Series 88-3, scale 1:24,000.
- †143. ———1988b, Provisional geologic map of the Proterozoic rocks of the Morristown quadrangle, New Jersey: New Jersey Geological Survey Geologic Map Series 88-4, scale 1:24,000.
- †144. ———1989, Provisional bedrock geologic map of the Proterozoic and lower Paleozoic rocks of the Califon quadrangle, Hunterdon and Morris Counties, New Jersey: New Jersey Geological Survey Geologic Map Series 89-3, scale 1:24,000.
- †145. ———1985-92, New Jersey Geological Survey unpublished data.
- †146. Volkert, R.A., and Drake, A.A., Jr., 1986, Some middle Proterozoic rocks of the New Jersey Highlands, in Husch, J.M., and Goldstein, F.R., eds., Geology of the New Jersey Highlands and radon in New Jersey: Randolph, Geological Association of New Jersey, 3rd annual field conference, Oct. 24-26, 1986, p. 1-17.
- †147. ———1990, New geologic map of the New Jersey Highlands: Geological Society of America Abstracts with Programs, v. 22, no. 2, p. 76-77.

- †148. Volkert, R.A., Drake, A.A., Jr., Hull, J.M., and Koto, R.Y., 1986, Road log for the field trip on the geology of the New Jersey Highlands, in Husch, J.M., and Goldstein, F.R., eds., *Geology of the New Jersey Highlands and radon in New Jersey: Randolph, N.J., Geological Association of New Jersey, 3rd annual field conference, Oct. 24–26, 1986*, p. 67–116.
- †149. Volkert, R.A., Markewicz, F.J., and Drake, A.A., Jr., 1990, Bedrock geologic map of the Chester quadrangle, Morris County, New Jersey: New Jersey Geological Survey Geologic Map Series 90–1, scale 1:24,000.
- †150. Volkert, R.A., Monteverde, D.H., and Drake, A.A., Jr., 1989, Bedrock geologic map of the Stanhope quadrangle, Sussex and Morris Counties, New Jersey: U.S. Geological Survey Geologic Quadrangle Map GQ–1671, scale 1:24,000.
- †151. ——— in press, Bedrock geologic map of the Hackettstown quadrangle, Morris, Warren, and Hunterdon Counties, New Jersey: New Jersey Geological Survey, scale 1:24,000.
- †152. Weller, Stuart, 1903, The Paleozoic faunas: New Jersey Geological Survey Report on Paleontology, v. III, 462 p.
153. Wherry, E.T., 1909, The early Paleozoic of the Lehigh Valley district, Pennsylvania: *Science*, new series, v. 30, 416 p.
154. White, I.C., 1882, The geology of Pike and Monroe Counties: Pennsylvania Geological Survey, 2nd series, Report G–6, 407 p.
155. White, I.C., 1883, The geology of the Susquehanna River region in the six counties of Wyoming, Lackawanna, Luzerne, Columbia, Montour, and Northumberland: Pennsylvania Geological Survey, 2nd Report of Progress G–7, 464 p.
156. Willard, Bradford, 1937, Hamilton correlations: *American Journal of Science*, 5th series, v. 33, no. 196, p. 264–278.
157. ——— 1938, A Paleozoic section at Delaware Water Gap: Pennsylvania Geological Survey, 4th series, Bulletin G–11, 35 p.
158. Wolff, J.E., and Brooks, A.H., 1898, The age of the Franklin white limestone of Sussex County, New Jersey: U.S. Geological Survey 18th Annual Report, pt. 2, p. 425–457.
- †159. Young, D.A., 1969, Petrology and structure of the west-central New Jersey highlands: Providence, R.I., Brown University, unpublished Ph.D. dissertation, 194 p.
160. Zartman, R.E., Brock, M.R., Heyl, A.V., and Thomas, H.H., 1967, K-Ar and Rb-Sr ages of some alkalic intrusive rocks from central and eastern United States: *American Journal of Science*, v. 265, no. 10, p. 848–870.