



INDEX TO GEOLOGIC MAPPING

Unit Label	Unit	K-Ar ages (Ma)
Qa	Quaternary basalt	
Ta1, Ta2	Basalt flows along the Colorado River (Pleistocene)	0.1749-0.39 (Wentch and others, 1995)
Tb1, Tb2	Shivwits basalt, undivided	4.75±0.26 (Reed and others, 1980)
Tc1, Tc2	Basalt flows (Holocene)	6.7±0.10 (Lacina and McKee, 1975)
Td1, Td2	Basalt flows (Holocene)	6.7±0.15 (Reynolds and others, 1986)
Te1, Te2	Basalt flows (Holocene)	7.0±0.10 (Reed and others, 1980)
Tf1, Tf2	Basalt flows (Holocene)	7.6±0.10 (Lacina and McKee, 1975)
Tg1, Tg2	Basalt flows (Holocene)	8.2±0.11 (Wentch and others, 1995)
Tt1, Tt2	Basalt flows (Holocene)	13.5±0.3 (Wentch and others, 1995)
Tu1, Tu2	Basalt flows (Holocene)	14.6±0.1 (Damon, 1968)
Tv1, Tv2	Basalt flows (Holocene)	15.3±0.3 (Wentch and others, 1995)
Tw1, Tw2	Basalt flows (Holocene)	17.4±0.1 (Wentch and others, 1995)
Tx1, Tx2	Basalt flows (Holocene)	18.5±0.2 (Nelson and others, 1990)
Ty1, Ty2	Basalt flows (Holocene)	19.0±0.4 (Wentch and others, 1995)
Tz1, Tz2	Basalt flows (Holocene)	19.9±0.4 (Wentch and others, 1995)
Taa1, Taa2	Basalt flows (Holocene)	65.5±3.5 (Chang, 1979)

Geologic Map of the Peach Springs 30' x 60' Quadrangle, Mohave and Coconino Counties, Northwestern Arizona

By George H. Billingsley, Debra L. Block, and Helen C. Dyer 2006